



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

December 29, 2022

Shekelia Stokes  
Childrenz Place 2 LLC  
33006 West 7 Mile #277  
Livonia, MI 48152

RE: License #: DC820394356  
**Children'z Place 2**  
**27216 Grand River Ave.**  
**Redford, MI 48240**

Dear Ms. Stokes:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Erica A. Hogan".

Erica A. Hogan, MA.Ed, Licensing Consultant  
Department of Licensing and Regulatory Affairs  
Child Care Licensing Bureau  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
313 402-7554  
[HoganE1@michigan.gov](mailto:HoganE1@michigan.gov)

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
BUREAU OF COMMUNITY AND HEALTH SYSTEMS  
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DC820394356
<b>Licensee Name:</b>	Childrenz Place 2 LLC
<b>Licensee Address:</b>	33006 West 7 Mile #277 Livonia, MI 48152
<b>Licensee Telephone #:</b>	313 414-3120
<b>Administrator/Licensee Designee:</b>	Shekelia Stokes, Designee
<b>Name of Facility:</b>	Children'z Place 2
<b>Facility Address:</b>	27216 Grand River Ave. Redford, MI 48240
<b>Facility Telephone #:</b>	(313) 414-3120
<b>Capacity:</b>	39
<b>Program Type:</b>	CHILD CARE CENTER

## II. Purpose of Addendum

On December 23, 2022, I received a modification request from the licensee designee, Shekelia Stokes, requesting to change the hours of operation from 7:00 a.m. – 7:30 p.m. to 6:30 a.m. – 6:00 p.m.

## III. Methodology

Modification Request Received – 12/23/2022

## IV. Description of Findings and Conclusions

The terms of the original license were modified on 12/29/2022

An environmental health inspection, fire safety inspection, and lead hazard risk assessment were not needed for the modification.


The following rooms are approved as child use space:

- Infant/toddler classroom is 36ft. x 10ft. providing a total of 360 sq. ft. Based on 50 sq. ft. per child, this accommodates 10 infants and toddlers. This approval is based on the number of cribs provided by the center.
- The South preschool classroom was measured in two parts. The first part is 13ft. x 26 ft., and the second part is 13ft. x 9ft., together, this provides a total of 455 sq. ft. Based on 35 sq. ft. per child, this accommodates 13 children 2<sup>1</sup>/<sub>2</sub> – 13 years of age.
- The Southeast preschool is 36 ft. x 15 ft., providing a total of 558 sq. ft. Based on 35 sq. ft. per child, this accommodates a total of 16 children 2 ½ years of age.

The total capacity of the center is 39 children, ages 6 weeks – 13 years of age. The center provides transportation.

## V. Recommendation

I recommend the approval of the hours of operation to be changed from 7:00 a.m. – 7:30 p.m. to 6:30 a.m. – 6:00 p.m.



12/29/2022

Erica A. Hogan

Licensing Consultant

Date

