



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

January 13, 2022

Maria VanDyke
Spanish For Toddlers, LLC
710 Magnolia
Royal Oak, MI 48073

RE: License #: DC820400918
Spanish For Toddlers, LLC
4800 Woodward Ave
Detroit, MI 48201

Dear Ms. VanDyke,

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your center on 01/11/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Child Care Centers.

During the onsite inspection on 01/11/2022, I observed 11 preschoolers engaged in a Spanish emerged program. The children were being spoken to in Spanish and they were able to respond correctly. They engaged in large gross motor activities and sang songs in Spanish. Technical Assistance was provided regarding ensuring that bedding stays independent from other bedding. The children bring their own lunch to the center.

The violations that were found are:

R 400.8110

Applicant; licensee; licensee designee; requirements.

(4) There must be a licensing notebook on the premises that includes all licensing inspection and special investigation reports and related corrective action plans for the last 5 calendar years, and a summary sheet outlining the documents contained in the notebook. The notebook must be in a place accessible to parents and prospective parents at all times during the center's normal hours of operation.

During the onsite inspection on 01/11/2022, there was no summary sheet that was complete with all prior inspections and Corrective Action Plans. Ms. VanDyke will complete the summary sheet with all previous inspections by 01/11/2022.

R 400.8385 Poisonous or toxic materials.

Containers of poisonous or toxic materials must be clearly labeled for easy identification of contents and stored out of reach of children.

During the onsite inspection on 01/11/2022 there was poisonous chemicals left by the maintenance staff in the traffic area where children walk through. The maintenance staff came to remove it to a safe location that was out of the reach of children while I was on site.

R 400.8550 Electrical service.

(5) All electrical outlets in child use areas for children who are not yet school-age shall be made inaccessible to children.

During the onsite inspection on 01/11/2022, there were outlets that were uncovered in the hallway where the children frequently walked through.

On 01/11/2022, you gave us an acceptable written corrective action plan.


During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 313 456-0380.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Erica Hogan".

Erica Hogan, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202