



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

Amended Report

December 12, 2022

Lindsey Richards
Wild Child Rebellion LLC
8129 St. Paul
Detroit, MI 48214

RE: License #: DC820405966
Wild Child Playschool
17150 Maumee Avenue
Grosse Pointe, MI 48230

Dear Ms. Richards:

Attached is the Addendum to the Original Licensing Study Report for the above referenced facility. This report is being amended due to a clerical error under "Descriptions of Findings and Conclusions". The measurements for Classroom 3 were typed incorrectly.

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your licensing notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Ng".

Nicole Gibby, Licensing Consultant
Bureau of Community and Health Systems
Cadillac Pl. Ste 9-100
3026 W. Grand Blvd
Detroit, MI 48202
(313) 938-5874

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
ADDENDUM TO ORIGINAL LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820405966
Licensee Name:	Wild Child Rebellion LLC
Licensee Address:	8129 St. Paul Detroit, MI 48214
Licensee Telephone #:	(313) 510-8585
Administrator/Licensee Designee:	Lindsey Richards, Designee
Name of Facility:	Wild Child Playschool
Facility Address:	17150 Maumee Avenue Grosse Pointe, MI 48230
Facility Telephone #:	(313) 510-8585
Capacity:	33
Program Type:	CHILD CARE CENTER

II. Purpose of Addendum

On 11/15/2021, Lindsey Richards, Licensee requested a modification to the child care license. The licensee requested to add classroom 3 and increase the capacity.

III. Methodology

09/13/2021- Inspection Completed: Fire Safety: A
09/15/2021- Inspection Completed: Env. Health: A
10/20/2021- Modification request received.
11/19/2021- Inspection Completed On-site.

IV. Description of Findings and Conclusions

The original license has been modified on January 20, 2022.

The following classrooms are approved for use:

Classroom 3 measures 368 square feet and can accommodate up to 11 children (ages 3 years and older) based on 35 square feet per child. There is an egress door that leads to grade level.

Classroom 4 measures 379 square feet and can accommodate up to 11 children (ages 3 years and older) based on 35 square feet per child. There is an egress door that leads to grade level.

Classroom 5 measures 381 square feet and can accommodate up to 11 children (ages 3 years and older) based on 35 square feet per child. There is an egress door that leads to grade level.

The center's modified capacity is 33.

There is an adequate amount of age and developmentally appropriate equipment onsite. All equipment inspected is safe, clean and in good repair. A detailed equipment list is on file with the department.

There are 6 toilet and 4 handwashing sinks. This is enough to support the center's capacity of 33 children.

The outside play is located in the front of the childcare center and is fenced in. This is a natural playground with no commercial equipment. There are no water hazards.

The lead hazard risk assessment was completed 06/13/2021 by Kevin McNeil, Certification# P-00016, Lead Hazard Risk Assessor, MJ Environmental, Inc. There were no lead hazard risks found.

The playground inspection was completed 06/02/2021 by Lisa Abdellaoui, NCI Certification# - 2377, Playground Inspector. This is a natural playground with no commercial equipment and surface were found to be in compliance with the Consumer Product Safety Commission's (CPSC) 2010 Edition of the Handbook for Public Playground Safety.

The center will operate Monday through Friday from 8:30 a.m. to 3:30 p.m.

V. Recommendation

I recommend classroom 3 be added and the capacity of the center to be changed to 33.



12/12/2022

Nicole Gibby
Licensing Consultant

Date

Approved By:



12/12/2022

LaTanya Ellington
Area Manager

Date