



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 17, 2023

Wendy Senkbeil
Ecorse Public Schools
27225 W. Outer Drive
Ecorse, MI 48229

RE: License #: DC820412766
Dr. Brenda Hague Early Learning Village
50 W. Josephine
Ecorse, MI 48229

Dear Ms. Senkbeil:

Attached is the Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. You have submitted an acceptable written corrective action plan covering the violations cited in the report. Therefore, your license is renewed.

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 04/03/2023, I found 3 violation(s) listed below and explained in the attached report:

- R 400.8112(2) Comprehensive background check; fingerprinting**
- R 400.8128 Staff; volunteer; tuberculosis**
- R 400.8550 Electrical Service**


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Erica A. Hogan, MA.Ed, Licensing Consultant
Department of Licensing and Regulatory Affairs
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
313 402-7554
HoganE1@michigan.gov

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820412766
Licensee Name:	Ecorse Public Schools
Licensee Address:	27225 W. Outer Drive Ecorse, MI 48229
Licensee Telephone #:	(313) 294-4750
Licensee/Designee:	Wendy Senkbeil, Designee
Name of Facility:	Dr. Brenda Hague Early Learning Village
Facility Address:	50 W. Josephine Ecorse, MI 48229
Facility Telephone #:	(313) 294-8102
Original Issuance Date:	09/28/2022
Capacity:	100
Age Range:	Ages 3 years 0 months Thru 5 years 0 months
Program Components:	GSRP TRANSPORTATION SCHOOL AGE

II. METHODS OF INSPECTION

Date of On-Site Inspection(s): 04/03/2023
 Date of Environmental Health Inspection: 09/19/2022
 Date of Fire Safety Inspection: 09/22/2022
 Date of Lead Hazard Risk Assessment, if applicable:
 Date of Documentation of Playground Compliance, if applicable: N/A

		No. of Records Reviewed
No. of children enrolled in care	61	25
No. of staff employed	7	7
No. of volunteers	0	0
No. of children present at time of inspection	48	
No. of staff present at time of inspection	8	
No. of volunteers present at time of inspection	0	
No. of children interviewed/observed	48	
Persons Interviewed:		
Licensee/Licensee Designee	<input checked="" type="checkbox"/>	
Program Director	<input checked="" type="checkbox"/>	
Caregiving staff	<input checked="" type="checkbox"/>	

Approved Child Use Space: There are four classrooms that are used for child use space. There is another room that is approved but is not occupied by the children daily.
 Approved Program Director: Wendy Senkbeil is the approved program director.
 Approved Central Administrator: There is no approved central administrator.
 Approved Variances: None.
 Key Indicator Inspection: No.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

During the onsite inspection, I observed four GSRP classrooms. The first classroom had 12 children present. They completed a message board on time, colors and numbers. GSRP 2 classroom practiced tracing their names. They counted letters in their names and the teacher called out the spelling of their names. In GSRP 3 classroom, the children practiced the days of the week in an oral and interactive song. In the fourth GSRP classroom, the children completed a message board. Technical Assistance was provided to Ms. Wendy, director to complete child information records with the date of admission as well as all staff knowing where the crisis management plan is located. Ms. Wendy is planning on submitting a modification request to add room 5 to the license.

This renewal inspection involved a review of all applicable child care center administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the inspection, the center was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.8112 Comprehensive background check; fingerprinting.

- (2) An applicant or licensee shall do all of the following:**
(b) Maintain a copy of the completed and signed form or forms for each individual entered into the child care background check system under the license.

During the onsite inspection, there were no Consent Disclosure Forms for any of the staff onsite at the center.

R 400.8128 Staff; volunteer; tuberculosis.

A center shall keep on file at the center evidence to verify that each child care staff member and each volunteer who has contact with children at least 4 hours per week for more than 2 consecutive weeks is free from communicable tuberculosis (TB). Verification of TB status is required within 1 year before employment or volunteering.

During the onsite inspection, there were TB test verification for any of the staff on file at the center.

R 400.8550 Electrical service.

- (5) All electrical outlets in child use areas for children who are not yet school-age shall be made inaccessible to children.**

During the onsite inspection, there were two classrooms that had outlets missing covers on them.

A corrective action plan was requested and approved on 04/03/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

