



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 16, 2022

Chenita Farmer
Nenes Little Angels Daycare LLC
17150 Inkster Rd
Redford, MI 48240

RE: Application #: **DC820413129**
Nene's Little Angels Childcare Center
17150 Inkster Road
Redford, MI 48239

Dear Ms. Farmer:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a maximum capacity of 75 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (313) 456-0380.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

Erica A. Hogan, MA.Ed, Licensing Consultant
Department of Licensing and Regulatory Affairs
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
313 402-7554
HoganE1@michigan.gov

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DC820413129
Applicant Name:	Nene's Little Angels Daycare LLC
Applicant Address:	17150 Inkster Rd. Redford, MI 48240
Applicant Telephone #:	313 543-3365
Licensee/Designee:	Chenita Farmer, Designee
Name of Facility:	Nene's Little Angels Childcare Center
Facility Address:	17150 Inkster Road Redford, MI 48239
Facility Telephone #:	(313) 543-3365 05/25/2022
Application Date:	
Capacity:	75
Program Type:	CHILD CARE CENTER

II. METHODOLOGY

05/25/2022	Enrollment Online enrollment (5/20/22)
06/27/2022	Contact - Document Sent Rule & Act booklets; CC Comprehensive Background Cks; Reimburse ltr & form
06/27/2022	Application Incomplete Letter Sent App; valid corp; IRS ltr; 001 & DL for Chenita (LD & PD)
06/28/2022	Contact - Document Received App - Signed & dated; IRS ltr; Articles of Corp; 5003; 001 & DL for Chenita (LD)
06/29/2022	Contact - Document Received App - Corrected
07/05/2022	Inspection Completed -LEAD Hazard Risk Assessment Tina Moss – P-06386
08/12/2022	Inspection Completed-Env. Health: A
08/18/2022	Inspection Completed-Fire Safety – A Rated
09/09/2022	Application Complete/On-site Needed
09/09/2022	Inspection Completed On-site
09/13/2022	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

Nene's Little Angels is located at 17150 Inkster Road in the city of Redford. It is a one level building that sits on the corner of Six Mile and Westland Street. It has a parking lot in front of the building. There are two entrances that lead into the facility. Upon entering the left entrance, there is a foyer that leads to the reception desk. The center will only utilize the left entrance of the facility to control the daily traffic. The right entrance into the facility will not be used as an entrance but will be used as an emergency exit for toddlers.

Approved space (room numbers, sizes, capacity and ages of children for which each room/well-defined space is approved, etc.):

There are 6 rooms in this child care facility. Rooms 1, 2, and 3 are on the right side of the facility and Rooms 4, 5, and 6 are on the left side. Rooms 1 and 2 consists of one large room that is divided into two rooms. This facility has a nurse's station that is inside Room 3. Rooms 4 and 5 are GSRP classrooms. Room 6 is a latchkey classroom.

Room 1 is designated for infants, ages birth to 12 months. This room had to be measured in two parts to consider the design of the room. It measured 25ft. x 11ft. + 15ft. x 12ft., providing a total of 455 square feet. This accommodates up to 8 infants, ages birth to 12 months. There are 2 sinks in this infant room.

Room 2 is designated for toddlers, ages 1-2 years old. This room had to be measured in two parts to consider the design of the room. It measured 30ft. x 17ft. + 17ft. x 10ft., providing a total of 680 square feet. This accommodates up to 14 toddlers, ages 1-2 years old. This room has an exit door, which leads to the front of the building. This exit is the right entrance door.

Room 3 is designated for preschoolers, ages 2-3 years old. This room measured 29ft. x 26ft., providing a total of 754 square feet. This accommodates up to 22 preschoolers, ages 2-3 years old. This room has an exit door that leads to the back of the facility. This room has a boy's and a girl's bathroom. The boy's bathroom has 1 sink and 1 toilet. The girl's bathroom has 1 sink and 1 toilet. This room has a nurse's station inside.

Room 4 is designated for GSRP to serve 4-year-olds. This room had to be measured in two parts to consider the design of the room. It measured 29ft. x 18ft. + 17ft. x 19ft., providing a total of 845 square feet. This accommodate the requested amount of 18 GSRP children, age 4. This room has 1 sink.

Room 5 is designated for GSRP to serve 4-year-olds. This room measured 30ft. x 18ft., providing a total of 540 square feet. This accommodates up to 15 GSRP children, age 4. This room has 1 sink.

Room 6 is designated for latchkey children before and after school. It measured 13ft. x 10ft., providing a total of 130 square feet. This room accommodates up to 4 preschool through school age children.

This facility has a nurse's station that is available for children's use. This room is inside classroom 3. It measures 12ft. x 7ft., providing a total of 84 square feet. Technical Assistance was provided to the licensee stating that only 2 infants or 2 toddlers/preschools can occupy this room at one time.

Equipment:

There is an adequate amount of equipment for children's use in this child care facility. Ms. Farmer has provided the department with an extensive equipment list.

Number of sinks and toilets:

This facility has 2 sinks inside room 1. This facility has a girl's and boy's bathroom on the left side of the center. These two bathrooms each have 1 toilet and 1 sink. There are two bathrooms inside room 3. Each of them has 1 toilet and 1 sink. There is a sink inside rooms 4 and 5. There is an office area in the rear of the center that is not used for child use space. This room has a bathroom that will be used for children's use. This bathroom has 1 toilet and 1 sink. In this facility, there is a total of 9 sinks and 5 toilets. There are enough toilets and sinks for the requested capacity of 75 children ages birth to school age.

Outdoor play area - location, fenced or not, water hazards:

In the back of the facility, there is a fenced in play area. There are no in-ground play equipment structures. The center will provide outdoor play equipment. There are no water hazards.

Documentation if a lead hazard risk assessment was required and the results:

A lead assessment was received indicating that a lead inspection was completed on July 5, 2022, and was passed by a certified lead hazard risk assessor, Tina Moss, P-06386.

Documentation of playground safety:

There is no equipment in the outdoor play area and therefore a playground inspection is not required.

B. Program Description**Ages of children served:**

Nene's Little Angels will serve children Birth – 12 years old.

Proposed days and hours of operation:

The facility will operate from 6:30 a.m. to 11:59 p.m., Monday through Saturday.

Full or part time (AM or PM sessions or both):

The center will offer full time and before and after school care.

Other program components - transportation, swimming, food service:

The center will not offer transportation.

There is no swimming component.

The center will offer breakfast, lunch, dinner and an a.m. and p.m. snack through the CACFP Food Program.

Name of program director and under what rules the program director is qualified:

Chenita Farmer is the approved program director. Ms. Farmer is approved under R 400.8113(7)(d) and (9). She has her associate degree in Early Childhood Education from Colorado Technical University, American Public University System, and Henry Ford Community College. She has obtained her Child Development Associate in preschool. Her CPR, first aid, and Health and Safety Training is current. All required clearances have been completed and are on file with the department.

Is there a central administrator that meets the administrative requirement?

No.

Explanation of variance(s), if any:


There are no variances.

C. Rule/Statutory Violations

There are no statutory rule violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care center.




Erica A. Hogan
Licensing Consultant

09/16/2022

Date

Approved By:


09/16/2022

LaTanya Ellington
Area Manager

Date