



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

December 6, 2022

Sarah Coffey
213 Eastern Ave
Allegan, MI 49010

RE: License #: DF030089215
Sarah Coffey
213 Eastern Avenue
Allegan, MI 49010

Dear Ms. Coffey:

This letter is to advise you that the 12/06/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).


Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1932(2) Home maintenance and safety.	Medication was found on the dining table and was within the reach of children.	Licensee placed medication in a cabinet.	11/6/2022
R 400.1944(1) Smoke detectors; fire extinguishers.	An operable smoke detector was not found in the living room used for napping.	Licensee will purchase new batteries for the smoke detector.	11/6/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Rebecca Wagster".

Rebecca Wagster, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(269) 615-6055