



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type: Renewal
Inspection Type: Renewal

Date of Inspection: 6/10/2024
Date of Report: 6/10/2024

Licensee Name(s)	License Number	Capacity
Sharon Dordon	DF030274034	6
Facility Name	Program Type	
Sharon's Day Care	Family Home	
Facility Address	Mailing Address	
3072 Grandview Drive, Allegan, MI, 49010	3072 Grandview Drive, Allegan, MI, 49010	
Facility Phone Number	Facility Email Address	
6164056566	sdordon1@yahoo.com	

Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center's records, including staff records and children's records. Staff records include background checks and training information. Children's records include child information cards, physical examination dates, and immunizations.

During the renewal inspection, licensing consultant Rebecca Wagster found 2 violations. The violations are listed and explained below. An acceptable written corrective action plan was received on 6/10/2024. A regular license will be issued.

If you have any questions regarding the report, please contact licensing consultant, Rebecca Wagster, at (269) 615-6055. In the event that Rebecca Wagster is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
517	2	0
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
5 : 5	1 : 1	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
4 : 4	1 : 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	The family has one dog.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There were no hazards on the property at the time of the inspection.	The unfenced outdoor play area is located behind the child care home. Surfacing has been placed under the fall zones.	

Due to the health and safety professional development training violation(s), all of the facility's child care staff members must complete the required training by 6/24/2024. This must be included in the facility's corrective action plan.


Documentation of Required Inspections			
<i>Type of Inspection</i>		<i>Date of Inspection</i>	<i>Findings</i>
<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1934(4)	Heating; ventilation; lighting; radon. A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.	A radon test was not completed every four years, at the time of renewal.	Violation Established

R 400.1905(9)	<p>Training. When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.</p>	<p>The health and safety refresher courses were not completed in 2020, 2021 or 2023.</p>	<p>Repeat Violation Established</p> <p>Reference: : 8/6/2023 :Violation Established;</p>
---------------	--	--	--

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>

Hours of Operation						
Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
06:30 AM To 5:30 PM	06:30 AM To 5:30 PM	06:30 AM To 5:30 PM	06:30 AM To 5:30 PM	06:30 AM To 6:00 PM		

Bureau Recommendation
<p>You have submitted an acceptable corrective action plan. I recommend the issuance of a regular license.</p>

<p>Approved By: </p>			
Rebecca Wagster	6/10/2024		
Licensing Consultant	Date		