



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF  
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL  
LANSING

Michelle Richard  
ACTING DIRECTOR

**Report Type:** Renewal  
**Inspection Type:** Renewal

**Date of Inspection:** 7/5/2024  
**Date of Report:** 7/5/2024

Licensee Name(s)	License Number	Capacity
Candice Wabeke	DF030295556	6
Facility Name	Program Type	
Wabeke, Candice	Family Home	
Facility Address	Mailing Address	
4755 42nd St., Zeeland, MI, 49464	4755 42nd St., Zeeland, MI, 49464	
Facility Phone Number	Facility Email Address	
6164058936	candice.wabeke@gmail.com	

### Findings of the Inspection

A copy of this renewal inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

The renewal inspection involved a review of all applicable child care center [administrative rules](#) and [statutes](#). Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the center’s records, including staff records and children’s records. Staff records include background checks and training information. Children’s records include child information cards, physical examination dates, and immunizations.

If you have any questions regarding the report, please contact licensing consultant, Rebecca Wagster, at (269) 615-6055. In the event that Rebecca Wagster is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
499	0	1

<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
7: 7	1: 1	0: 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
2: 2	1: 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes	Yes	The family has a dog, cat, chickens and fish.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There is a drainage ditch located behind the child care home. The ditch accumulates very little water unless it rains. The outdoor play structure used by children in care is located in front of the home. Direct supervision is required when outside.	The outdoor play structure is located in front of the child care home.	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
Furnace Inspection	5/16/2024	Approved

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

<b>Technical Assistance</b>	
<i>Rule Number</i>	<i>Rule</i>
R 400.1934(4)	<p>A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.</p> <ul style="list-style-type: none"> <li>Email radon test results to consultant once received.</li> </ul>

<b>Hours of Operation</b>						
<i>Monday</i>	<i>Tuesday</i>	<i>Wednesday</i>	<i>Thursday</i>	<i>Friday</i>	<i>Saturday</i>	<i>Sunday</i>
06:00 AM To 5:30 PM	06:00 AM To 5:30 PM	06:00 AM To 5:30 PM	06:00 AM To 5:30 PM	06:00 AM To 5:30 PM		

--	--	--	--	--	--	--

**Bureau Recommendation**

I recommend issuance of a regular license.

**Approved By:** *Rebecca Wagster*

Rebecca Wagster	7/5/2024		
<b>Licensing Consultant</b>	<b>Date</b>		