



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

July 29, 2022

Sadie Malott
2110 W. Midland RD
Auburn, MI 48611

RE: License #: DF090382461
Learn N' Play
2110 W. Midland RD
Auburn, MI 48611

Dear Ms. Malott:

This letter is a follow-up to the Department's findings regarding the interim inspection conducted at your home on 07/28/2022. The purpose of this inspection was to determine compliance with applicable licensing statutes and administrative rules for Family and Group Child Care Homes.

The violations that were found are:

R 400.1934 Heating; ventilation; lighting.

(3) A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), must be placed on all levels approved for child care.

Ms. Malott's carbon monoxide detector was not working when it was tested during the inspection.

R 400.1944

Smoke detectors; fire extinguishers.

(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

The smoke detectors in the two sleep areas were not working correctly.

On 7/28/22, you gave us an acceptable written corrective action plan. The children were playing outside when I arrived for the inspection. Ms. Malott was attentive to the children during the inspection. They were entertained by free play and watching a show while Ms. Malott provided information for the inspection. I observed a trampoline and reminded Ms. Malott that child care children are not allowed to play on the trampoline (R400.1920 (6)). Ms. Malott's sink that the children use to wash their hands has a crack in it and will need to be replaced prior to the renewal inspection. In the nap room off the playroom has some drywall tape that has been ripped in the ceiling area that needs to be repaired prior to the renewal inspection.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

You can find a copy of this inspection letter and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when inspection letters are completed can be found under [Overview of Licensing Reports](#).

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.
Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stacy M. Tomczak, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa St.
PO Box 30664
Lansing, MI 48909
989-798-4738