



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

February 16, 2021

Judy Poznanski
 3793 Chamberlain Rd
 Buchanan, MI 49107

RE: License #: DF110079812
Judy K. Poznanski
3793 Chamberlain Rd
Buchanan, MI 49107

Dear Ms. Poznanski:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 02/13/2021, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Amy Steger". The signature is written in a cursive, slightly slanted style.

Amy Steger, Licensing Consultant
Child Care
427 East Alcott
Kalamazoo, MI 49001
(269) 568-2915

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF110079812
Licensee Name:	Judy Poznanski
Licensee Address:	3793 Chamberlain Rd Buchanan, MI 49107
Licensee Telephone #:	(616) 356-0183
Licensee:	N/A
Name of Facility:	Judy K. Poznanski
Facility Address:	3793 Chamberlain Rd Buchanan, MI 49107
Facility Telephone #:	(616) 356-0183
Original Issuance Date:	01/27/1998
Capacity:	6
Age Range:	Ages Birth Thru 14 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 02/13/2021

	No. of Records Reviewed	
No. of children enrolled in care	0	0
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main level and basement are approved for child care. The kitchen, living room, and one bedroom are approved on the main level. The main large room in the basement is approved.

Exiting information (including second floor and basement): The main level has two remote exits that lead directly outside. The basement has a stairway to the main level of the home and an approved window exit.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Amy Steger

02/16/2021

Amy Steger
Licensing Consultant

Date