



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

June 6, 2023

Malisa Carter
212 Cutter Ave
Coldwater, MI 49036

RE: License #: DF120081446

**Carter, Malisa Kay
212 Cutter Avenue
Coldwater, MI 49036**

Dear Ms. Carter:

This letter is to advise you that the 06/01/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
400.1905(1)	10 clock hours of training for 2021 was not completed by licensee.	Licensee will ensure she has 10 clock hours of training each calendar year.	By 12/31/2023
400.1906(1)(b)	Daily sign in and sign out sheets were not being kept for all children in care.	Licensee will ensure that daily sign in and out sheets will be completed for each child in care.	This point forward.
400.1907(1)(b)(ii)	Information on child's health and immunization status were not on file for any children enrolled in care.	Licensee will ensure that statements of the child's health be kept on file.	6/20/2023
400.1923(2)(d)	This diaper changes are happening on an absorbent covering on the changing table.	Licensee will remove the absorbent covering so only the non absorbent changing pad and	6/20/2023

		changing table are used for diapering and easily subitizable.	
400.1934	A radon gas test has not been completed in the last 4 years.	Licensee will complete a radon gas test and send results to the department.	6/20/2023

Sincerely,



Charnell Lennox, Licensing Consultant
611 W. Ottawa
P.O Box 30837
Lansing, MI 48909