



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

January 11, 2021

Vanessa Kaiser
 26065 J Drive South
 Homer, MI 49245

RE: License #: DF130379261
Monkey Around Daycare
26065 J Drive South
Homer, MI 49245

Dear Ms. Kaiser:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 1/8/2021, I found 1 violation. The violation is listed below and explained in the attached report:

R400.1934 Heating; ventilation; lighting; radon.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions at (269) 568-2686. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Roxanne Duckworth". The signature is written in a cursive, slightly slanted style.

Roxanne Duckworth, Licensing Consultant
Bureau of Community and Health Systems
Child Care Licensing Division
427 East Alcott Street
Kalamazoo, MI 49001

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF130379261
Licensee Name:	Vanessa Kaiser
Licensee Address:	26065 J Drive South Homer, MI 49245
Licensee Telephone #:	(517) 877-0584
Licensee:	N/A
Name of Facility:	Monkey Around Daycare
Facility Address:	26065 J Drive South Homer, MI 49245
Facility Telephone #:	(517) 877-0584
Original Issuance Date:	01/26/2016
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/08/2021

	No. of Records Reviewed	
No. of children enrolled in care	5	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	1	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main level living room, kitchen, dining room, and two bedrooms are approved for child use. There is a full bathroom on this level for children to use. The basement level is approved for child use but is not currently being used as it is being remodeled.

Exiting information (including second floor and basement): There are two remote exits on the main level, including the front and back doors, both leading directly outside.

There are two exits on the basement level, including a door leading directly outside to the driveway, and stairs leading to the main level of the home.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There is one dog in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:	
R 400.1934	Heating; ventilation; lighting.
	(3) A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), must be placed on all levels approved for child care.
There was no carbon monoxide detector on main level of the home, which is an approved child use space.	

A corrective action plan was requested and approved on 01/08/2021. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Roxanne Duckworth

01/11/2021

Roxanne Duckworth
Licensing Consultant

Date