



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 10/25/2023
Date of Report: 12/5/2023

Licensee Name(s)	License Number	Capacity
	DF200285045	7
Facility Name	Program Type	
Brown Renee I	Family Home	
Facility Address	Mailing Address	
6245 Spring Velvet Court, Grayling, MI, 49738	6245 Spring Velvet Court, Grayling, MI, 49738	
Facility Phone Number	Facility Email Address	
9893906849	dynamicjamesdj@yahoo.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

During the Interim inspection, licensing consultant Sharon Riebel found 1 violation. The violations are listed and explained below. An acceptable written corrective action plan was received on 11/17/2023.

If you have any questions regarding the report, please contact licensing consultant, Sharon Riebel, at (231) 262-3833. In the event that Sharon Riebel is not available and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
183	1	1
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
2: 4	0: 1	0: 0

<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
2: 2	1: 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		One dog that can go up and down the stairs to the child care use space. The dog is friendly. The food and water bowls are kept upstairs on the main level of the house where children do not have access.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There were no hazards at the time of inspection.		

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1933(4)	Water supply; sewage disposal; water temperature. Hot water temperature must not exceed 120 degrees Fahrenheit at water faucets accessible to children.	The licensee did not ensure the hot water did not exceed 120 degrees. When I tested the water during the inspection the water temperature was 129 degrees.	Repeat Violation Established Reference: : 9/5/2018 :Violation Established; : 9/26/2022 :Violation Established;

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>
R 400.1916(6)(b)	A tightly fitted or snug bottom sheet must cover the crib or porta-crib mattress with no additional padding placed between the sheet and the mattress.
R 400.1931(8)	Bottles used for feeding must be labeled with the child's first and last name and date, refrigerated, and served only to the child on the label.
R 400.1932(2)	All dangerous and hazardous materials or items must be stored securely and out of the reach of children.

Bureau Recommendation

You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

Approved By:

Sharon Riebel

Sharon Riebel	12/5/2023		
Licensing Consultant	Date		