



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

MARLON I. BROWN, DPA  
ACTING DIRECTOR

September 8, 2023

Shawn Lambracht  
1123 E. Vermontville Hwy.  
Charlotte, MI 48813

**RE: License #:** DF230242345  
Lambracht, Shawn  
1123 E. Vermontville Hwy  
Charlotte, MI 48813

Dear Ms. Lambracht:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on September 8, 2023, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2022:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Michelle Gleed". The signature is written in a cursive style with a horizontal line underneath the name.

Michelle Gleed, Licensing Consultant  
Bureau of Community and Health Systems  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
(517) 599-7404

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF230242345
<b>Licensee Name:</b>	Shawn Lambracht
<b>Licensee Address:</b>	1123 E. Vermontville Hwy. Charlotte, MI 48813
<b>Licensee Telephone #:</b>	(517) 543-9489
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Lambracht, Shawn
<b>Facility Address:</b>	1123 E. Vermontville Hwy Charlotte, MI 48813
<b>Facility Telephone #:</b>	(517) 543-9489
<b>Original Issuance Date:</b>	09/24/2001
<b>Capacity:</b>	7
<b>Age Range:</b>	Ages Birth Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/08/2023

	No. of Records Reviewed	
No. of children enrolled in care	8	8
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: On the main level, the kitchen, dining room, living room, the bedroom on the south west side of the house, the bedroom on the south east side of the house, and the bedroom on the north east side of the house are approved for child care use.

The basement is not approved for child care use. However, the basement is used for tornado drills and in actual tornado emergencies.

Exiting information (including second floor and basement): On the main level the exits include the front door on the south side of the home which exits to grade and the sliding glass door on the north side of the home which exits to grade.

Approved variances -  No  Yes Description: Ms. Lambracht has an approved variance increasing her capacity to 7 and her ratio is then 1 to 7.

Key Indicator Inspection: This was not a key indicator inspection.

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

### III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes

### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



September 8, 2023

---

Michelle Gleed  
Licensing Consultant

Date