



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 13, 2022

Sheryl Selvia
4326 Hill Rd
Swartz Creek, MI 48473

RE: License #: DF250249462
Sheryl Selvia
4326 Hill Rd
Swartz Creek, MI 48473

Dear Ms. Selvia:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 09/12/2022, I found one violation(s) listed below and explained in the attached report:

R 400.1905 Training


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Erin M. Kidd". The signature is written in a cursive style with a large initial "E".

Erin Kidd, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St.
P.O. Box 30664
Lansing MI, 48909-8164
(810) 931-1786

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF250249462
Licensee Name:	Sheryl Selvia
Licensee Address:	4326 Hill Rd Swartz Creek, MI 48473
Licensee Telephone #:	(810) 655-5244
Licensee:	N/A
Name of Facility:	Sheryl Selvia
Facility Address:	4326 Hill Rd Swartz Creek, MI 48473
Facility Telephone #:	(810) 730-2864
Original Issuance Date:	07/23/2002
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/12/2022

		No. of Records Reviewed
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Main Floor: living room, dining room, kitchen and one bathroom. The lower level and second floor are not approved for child use space. Exiting information (including second floor and basement): The main floor of the home has three remote exits.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905

Training

(9) When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.

At the time of the onsite inspection, Mrs. Selvia was lacking verification of complete of the 2021 Health and Safety Refresher course. On September 12, 2022, I provided Mrs. Selvia with a link to the course via email.

- On September 12, 2022, I provided Mrs. Selvia with technical assistance regarding the use of swaddle sacks/ sleep sacks. The devices were not in use at the time of the onsite inspection. Mrs. Selvia is aware that children over 2 months of age are required to use sleep sacks with free range of arm motion. I provided Mrs. Selvia with technical assistance regarding training hours are required to be completed in the calendar year. Mrs. Selvia is due for an updated Radon test in 2024 and is aware of the requirement of licensing rule R 400.1934(6).

A corrective action plan was requested and approved on 09/12/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Erin M. Kidd

September 13, 2022

Erin Kidd
Licensing Consultant

Date