



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

December 1, 2022

Jennifer Hall
7496 Wicklow North Drive
Davison, MI 48423

RE: License #: DF250380705

RE: SI LOG #: **Jennifer Hall**
7496 Wicklow North Drive
Davison, MI 48423

Dear Ms. Hall:

This letter is to advise you that the 06/02/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400. 1905(3)(c) Training.	At the time of the inspection, child care staff member Stephanie Bowerman had not completed Shaken Baby Head Trauma through the Health and Safety Course 2 of the MiRegistry.org website.	Ms. Hall stated that Ms. Bowerman will take the course as soon as possible. Ms. Bowerman completed Course 2 on October 17, 2022.	Immediately
R 400. 1905(4) Training.	At the time of the inspection, Ms. Bowerman had not completed these courses through the required Health and Safety Course 2 of the MiRegistry.org website. Ms. Hall stated that Ms. Bowerman will take the	Ms. Hall stated that Ms. Bowerman will take the course as soon as possible. On September 08, 2022, I emailed the information to Ms. Hall. Ms. Bowerman completed Course 2 on October 17, 2022.	Immediately

	course as soon as possible. On September 08, 2022, I emailed the information to Ms. Hall.		
R 400. 1905(9) Training.	At the time of the inspection, Ms. Bowerman had not completed the required Health and Safety Refresher Course for 2021 on the www.MiRegistry.org website.	Ms. Hall stated that Ms. Bowerman will take the course as soon as possible. On September 08, 2022, I emailed the private link to Ms. Hall. Ms. Bowerman took the refresher's by 09/20/20022 and Ms. Hall took the refresher on	Immediately and ongoing
R 400.1932(2) Home maintenance and safety.	At the time of the inspection, I observed cleaning supplies in the living room (near the diaper station) within reach of the child care children, who were present.	Ms. Hall will store cleaning agents on the mantle, or a higher location, or in a safeguarded cabinet. Email follow-up by Ms. Hall on 11/08/2022 that this was completed.	Immediately and ongoing.
R. 400. 1942(2) Electrical Service; maintenance.	At the time of the inspection, I observed electrical outlets that were not safeguarded.	Ms. Hall stated that she had just used them and meant to put them away. We discussed storing them on the mantle or a higher location. Email follow-up by Ms. Hall on 11/08/2022 that this was completed.	


Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

Sincerely,

A handwritten signature in cursive script that reads "Lisa Gundry".

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St.
P.O. Box 30664
Lansing, MI 48909-8164
(810) 931-1220