



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 25, 2022

Pamela Massie
511 Chandler
Flint, MI 48503

RE: License #: DF250401171
Pamela Massie
511 Chandler
Flint, MI 48503

Dear Ms. Massie:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the inspection, I observed parent drop off. I observed a toddler sleeping on a cot. I observed another toddler engaged in free play with playdough. The children appeared bonded with caregiver and caregiver was nurturing and kind.

During calendar year 2021	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0


During the inspection I found 2 rule violation(s) listed below and explained in the attached report:

- R400.1905(1) Training**
- R400.1934(5) Heating; ventilation; lighting; radon**

Please review the enclosed documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Kelly Millar". The signature is written in a cursive style with a large, prominent initial "K".

Kelly Millar, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
989-385-6683

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF250401171
Licensee Name:	Pamela Massie
Licensee Address:	434 Chalmers Street Flint, MI 48503
Licensee Telephone #:	(810) 515-1862
Licensee:	N/A
Name of Facility:	Pamela Massie
Facility Address:	511 Chandler Flint, MI 48503
Facility Telephone #:	(810) 875-6627
Original Issuance Date:	09/25/2019
Capacity:	6
Age Range:	Ages Birth Thru 13 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

	No. of Records Reviewed	
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The entire main floor.

Exiting information (including second floor and basement): There are two remote exits from the main floor; the front door leading to the front yard, and the side (kitchen) door leading to the driveway and side of home. The upper floor is not approved for child care space and the basement does not have the necessary egress window and is not approved for child care use.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Labradoodle
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
The fireplace is located in the living room, it is not used during child care hours.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905 Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

Licensee only completed five hours of training in 2020 and completed zero training hours in 2021.

R 400.1934 Heating; ventilation; lighting; radon.


(5) The lowest level of the child care home must not have levels of radon gases that exceed 4 picocuries per liter of air, except as provided in subrule (6) of this rule. Documentation of the results must be kept on file in the child care home.

Licensee did not complete a radon test.

A corrective action plan was requested and approved on 02/24/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular child care family home (capacity 1-6).

Handwritten signature of Kelly Millar in black ink.

2/25/2022

Kelly Millar LMSW
Licensing Consultant

Date