



STATE OF MICHIGAN  
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
 LANSING

GRETCHEN WHITMER  
 GOVERNOR

ORLENE HAWKS  
 DIRECTOR

May 16, 2023

Kathy Jewell  
 6214 N Seymour Rd  
 Flushing, MI 48433

RE: License #: DF250402342

RE: SI LOG #: **Kathy Jewell**  
**6214 N Seymour Rd**  
**Flushing, MI 48433**

Dear Ms. Jewell:

This letter is to advise you that the 05/16/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1907 Child's records	At the time of the onsite inspection, two children were lacking emergency cards	Have up to date emergency cards for all kids.	5/16/2023
R 400.1910 Ratio of personnel to children.	At the time of the onsite inspection, I observed Mrs. Jewell, caring for six unrelated children and two related children under six years of age alone. This occurred for approximately 30 minutes.	I will not have more than 6 children by myself.	5/16/2023
R 400.1910 Ratio of personnel to children.	At the time of the onsite inspection, I observed Mrs. Jewell caring for two related children under 18	I will not have more than 2 children under 18 months by myself.	5/16/2023


	months of age and one unrelated child under 18 months of age alone for approximately 30 minutes.		
R 400.1916 Bedding and sleeping equipment.	At the time of the onsite inspection, I observed one infant sleeping with a blanket.	I will not allow children under 1 year to have a blanket in a crib. I will complete safe sleep training.	5/16/2023 5/19/2023
R 400.1941 Heat-producing equipment.	At the time of the onsite inspection, I observed combustible materials within 4 feet of the furnace.	I will keep items 4 ft from the furnace and water heater.	5/16/2023
R 400.1945 Emergency; plan; drill.	At the time of the onsite inspection, Mrs. Jewell had record of one fire drill completed in 2022.	I will complete log for fire drills quarterly.	5/16/2023
R 400.1945 Emergency; plan; drill.	At the time of the onsite inspection, Mrs. Jewell had record of one fire drill completed in 2022.	I will do two tornado drill between March and October.	5/16/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,



Erin Kidd, Licensing Consultant  
 Child Care Licensing Bureau  
 611 W. Ottawa St.  
 P.O. Box 30837  
 Lansing MI, 48909-8164  
 (810) 931-1786