



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

June 9, 2022

Kaitlyn Moore
11071 N Lewis Rd
Clio, MI 48420

RE: Application #: DF250411563
Kaitlyn's Comfort Care
11071 N Lewis Rd
Clio, MI 48420

Dear Ms. Moore:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script, appearing to read "Juli Gohl".

Juli Gohl, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P. O. Box 30664
Lansing, MI 48909-8164
(810) 423-2832

Enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF250411563
Licensee Name:	Kaitlyn Moore
Licensee Address:	11071 N Lewis Rd Clio, MI 48420
Licensee Telephone #:	(810) 893-1401
Licensee:	N/A
Name of Facility:	Kaitlyn's Comfort Care
Facility Address:	11071 N Lewis Rd Clio, MI 48420
Facility Telephone #:	(810) 893-1401
Application Date:	01/27/2022
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

01/27/2022	On-Line Enrollment
01/28/2022	Contact – Document Sent Rule and Public Act books
01/28/2022	Application Incomplete Letter Sent All items needed.
02/22/2022	Contact – Document Received Medical clearance and TB test results for Ms. Moore and adult household member [REDACTED]
02/25/2022	Contact – Document Received Verification of CPR & First Aid for Ms. Moore
03/02/2022	Inspection Completed-Env. Health: A
03/09/2022	Application Incomplete Letter Sent Furnace inspection does not say safe
03/09/2022	Contact – Document Received Radon 1.0 pCi/L
03/22/2022	Inspection Completed-Heating Approved
03/22/2022	Inspection Completed-Water Heater
03/22/2022	Application Complete/Orientation Needed
04/20/2022	Orientation Scheduled For- Flint - Virtual
04/20/2022	Orientation Attended Flint - Virtual
05/16/2022	Contact - Document Received Email from Ms. Moore
05/16/2022	Contact - Document Sent Email to Ms. Moore
05/16/2022	Contact - Telephone call made Voicemail message for Ms. Moore
05/17/2022	Contact - Document Received Email from Ms. Moore

05/17/2022	Contact - Telephone call received Voicemail message from Ms. Moore
05/18/2022	Contact - Document Received Email from Ms. Moore
05/18/2022	Contact - Document Sent Email to Ms. Moore
05/18/2022	Contact - Document Received Email from Ms. Moore
05/19/2022	Contact - Document Sent Email to Ms. Moore
06/01/2022	Inspection Completed On-site
06/02/2022	Contact - Document Received Email from Ms. Moore
06/03/2022	Contact - Telephone call received Facetime call from Ms. Moore
06/09/2022	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care home is a single-story house located on N. Lewis Road between E. Wilson and E. Tobias Roads in Clio.

Rooms and levels approved for child care use:

The living room, dining room, kitchen, one bedroom, and two bathrooms, all on the main level of the home are approved for child care use. The home has a basement.

Areas not approved:

Two bedrooms on the main level of the home and the basement.

Ages of children served:

Ms. Moore will provide care for children aged birth through 17 years of age.

Equipment:

Ms. Moore has a variety of age-appropriate toys and equipment sufficient for her licensed capacity.

Proposed days and hours of operation:

Child care hours are Monday through Friday 5:00 am – 7:00 pm.

Previous or concurrent licenses, including children’s foster care:

Ms. Moore has never been licensed for child care or children’s foster care.

Exiting information (including second floor and basement):

The main level of the home has two remote exits (front door and side door) and both of them lead directly to the outside.

Outdoor play area description:

Outdoor play will occur in the backyard of the home. This area is not fenced and there is elevated (over 30 inches) equipment with sufficient ground cover. Direct supervision will be provided at all times.

Additional information:

- Pets? No Yes If yes, describe. The home has three dogs and their food and supplies are kept separate from the children in care.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe. There is an electric fireplace in the living room.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns: The fireplace is not used.

Ms. Moore is not approved for overnight care and will not provide transportation.

Ms. Moore’s radon test results completed in the basement of the home were 1.0 pCi/l of air.

Ms. Moore is current with her CPR and first aid and has completed Course 1 and Course 2 MIRegistry Health and Safety trainings.

Ms. Moore has completed training on infant safe sleep and shaken baby syndrome.

Ms. Moore attended an orientation of child care home rules.

Explanation of variances, if any:
None

B. Rule/Statutory Violations

None

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).




06/09/2022

Juli Gohl
Licensing Consultant

Date

Approved By:



June 9, 2022

Crecendra Brown
Area Manager

Date