



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 3, 2023

Sheila Fredette
630 John F Kennedy Ct
Davison, MI 48423

RE: License #: DF250412396
Fredette, Sheila
630 John F Kennedy Ct
Davison, MI 48423

Dear Mrs. Fredette:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 2/3/2023, I found *1 violation*. The violation is listed below and explained in the attached report:

R 400.1932(8) Home maintenance and safety.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Lisa Gundry". The signature is written in a cursive style with a prominent loop at the end of the last name.

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
PO Box 30664
Lansing, MI 48909-8164
(810) 931-1220

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF250412396
Licensee Name:	Sheila Fredette
Licensee Address:	630 John F Kennedy Ct Davison, MI 48423
Licensee Telephone #:	(810) 210-0726
Licensee:	N/A
Name of Facility:	Fredette, Sheila
Facility Address:	630 John F Kennedy Ct Davison, MI 48423
Facility Telephone #:	(810) 962-4665
Original Issuance Date:	05/25/2022
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 02/03/2023

	No. of Records Reviewed	
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main floor living room and bathroom
Exiting information (including second floor and basement): The main floor has 2 separate exits from the front door and side door.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Mrs. Fredette has 2 dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
The hot tub has a locked cover on it
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1932 Home maintenance and safety.

(8) Open-flame devices and candles must not be used, except for birthdays or religious celebrations, and they must be inaccessible to children and extinguished when done.

At the time of the inspection, Mrs. Fredette had a lit candle in the kitchen being used for fragrance in the home. I advised her that open flames are not permissible during child care hours. She immediately blew the flame out and agreed to not use the candle again. She stated that she was unaware of this rule.


A corrective action plan was requested and approved on 02/03/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

At the time of the inspection, I provided Mrs. Fredette consultation and technical assistance on the following rules:

- Water temperature. Turned down onsite from 140 degrees Fahrenheit
- Posting's during child care hours. Corrected onsite. Mrs. Fredette had just cleaned the windows and taken the posting board down.
- Updating the child information cards. I mailed her new ones,
- Modification requirements to add the upper level of the home.

IV. RECOMMENDATION

I recommend issuance of a original license to this child care family home (capacity 1-6).



2/08/2023

Lisa Gundry
Licensing Consultant

Date