



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

October 31, 2022

Allison Desheles
16028 River Ridge Trl
Linden, MI 48451

RE: Application #: DF250413389
Desheles Family Daycare
16028 River Ridge Trl
Linden, MI 48451

Dear Mrs. Desheles:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9018.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Lisa Gundry".

Lisa Gundry, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa St.
P.O. Box 30664
Lansing, MI 48909-8164
(810) 931-1220

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF250413389
Licensee Name:	Allison Desheles
Licensee Address:	16028 River Ridge Trl Linden, MI 48451
Licensee Telephone #:	(951) 805-5144
Licensee:	N/A
Name of Facility:	Desheles Family Daycare
Facility Address:	16028 River Ridge Trl Linden, MI 48451
Facility Telephone #:	(951) 805-5144
Application Date:	07/14/2022
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

07/14/2022	On-Line Enrollment
07/14/2022	Application Incomplete Letter Sent needs everything
07/18/2022	Contact - Document Received Radon Test Results from 1.7 pCi/L
07/22/2022	Inspection Completed -Furnace
08/17/2022	Inspection Completed- Env. Health: A
09/09/2022	Inspection Completed – Water Heater
09/13/2022	Application Incomplete Letter Sent needs fingerprint results for [REDACTED]
09/20/2022	Application Complete/Orientation Needed
09/22/2022	Orientation Scheduled For- Northwest - Virtual
09/29/2022	Contact - Document Sent Emailed checklist for onsite inspection
10/13/2022	Inspection Completed On-site, Received copies of discipline policy, emergency policies and handbook
10/13/2022	Inspection Completed-BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

The child care home is a single-story home located in a residential area in Linden. The home has a walk-out basement.

Rooms and levels approved for child care use:

The basement living room and eat-in kitchen are approved as child use space. The bathroom in the basement is approved for child use space.

Areas not approved:

The main floor is not approved.

Ages of children served:

The home will accept children ages 3 to 5 years of age.

Equipment:

Mrs. Desheles has a wide variety of age-appropriate equipment for preschoolers.

Proposed days and hours of operation:

Mrs. Desheles will operate Tuesday, Wednesday, and Thursday from 9:00am - 1:00pm. She may expand her hours to include Monday and Friday if necessary. The child care is closed on the weekend and nighttime care is not approved at this time.

Previous or concurrent licenses, including children's foster care:

Mrs. Desheles has no previous child care licenses in the state of Michigan. She was licensed to provide child care for several years in the State of California. Mrs. Desheles has never been licensed for children's foster care.

Exiting information (including second floor and basement):

The main floor has three remote exits. The approved exits from the basement are stairs that lead directly to the main floor and a walk-out door that leads directly to the backyard.

Outdoor play area description:

The outdoor play area will be in the back yard. There are a variety of outdoor toys. There are no water hazards. Mrs. Desheles will provide direct supervision of the children during all outdoor play activities.

Additional information:

- Pets? No Yes If yes, describe. Mrs. Desheles has 1 dog.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe. The main floor has a gas fireplace.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any:

There are no variances granted or requested.

B. Rule/Statutory Violations

No violations were found during the inspection.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).



10/28/2022

Lisa Gundry
Licensing Consultant

Date

Approved By:



10/31/2022

Crecendra Boone
Area Manager

Date