



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

September 21, 2022

Heather Bennett  
8112 Beecher Road  
Flushing, MI 48433

RE: Application #: DF250413828  
**Heather Bennett**  
**8112 Beecher Rd**  
**Flushing, MI 48433**

Dear Heather Bennett:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

**Per MCL 722.113g, this report must be filed in your Licensing Notebook.**

Sincerely,

A handwritten signature in black ink, appearing to read "Kelly Millar".

Kelly Millar, LMSW, Licensing Consultant  
Child Care Licensing Bureau  
611 W. Ottawa Street  
P.O. Box 30664  
Lansing, MI 48909  
989-385-6683

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
LICENSING STUDY REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF250413828
<b>Applicant Name:</b>	Heather Bennett
<b>Applicant Address:</b>	8112 Beecher Road Flushing, MI 48433
<b>Applicant Telephone #:</b>	(989) 721-9727
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Heather Bennett
<b>Facility Address:</b>	8112 Beecher Rd Flushing, MI 48433
<b>Facility Telephone #:</b>	(989) 721-9727
<b>Application Date:</b>	08/17/2022
<b>Capacity:</b>	6
<b>Program Type:</b>	CHILD CARE FAMILY HOME (CAPACITY 1-6)

## II. METHODOLOGY

08/03/2022	Inspection Completed- Environmental Health
08/17/2022	Enrollment
08/17/2022	Application Incomplete Letter Sent needs everything
08/17/2022	Inspection Completed-Heating Approved
08/17/2022	Inspection Completed- Water Heater Approved
08/18/2022	Application Incomplete Letter Sent needs DL, safe sleep, course 1 &2, tb for Heather, radon, health
08/23/2022	Application Incomplete Letter Sent needs radon and health
08/24/2022	Contact- Document received, Radon Check <0.3 pCi/L
08/24/2022	Application Incomplete Letter Sent needs health
09/02/2022	Application Complete/Orientation Needed
09/06/2022	Orientation Attended
09/16/2022	Inspection Completed On-site Onsite inspection completed by Kelly Millar.
09/16/2022	PSOR On address completed- No Hits
09/16/2022	Inspection Completed-BCAL Full Compliance

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

### A. Description of Facility

The child care home is a one-story home in Clayton Township, the city of Flushing, Genesee County Michigan. The nearest cross streets are Morrish and Beecher.

#### **Rooms and levels approved for child care use:**

The home only has a main level. Ms. Bennett will utilize the entry way from garage, living room, kitchen, and dining room. There are two bedrooms for child care use. The master bedroom will be utilized for napping only. There is a bathroom off from the dining room which will be utilized by children in care.

**Areas not approved:**

The entire house will be utilized for child care.

**Ages of children served:**

Ms. Bennett will care for children from birth to age 12-years-old.

**Equipment:**

Ms. Bennett has an adequate amount of equipment for all children and for the requested capacity of 6.

**Proposed days and hours of operation:**

Ms. Bennett will operate her child care home Monday through Saturday from 6:00 AM until 11:59 PM.

**Previous or concurrent licenses, including children's foster care:**

Ms. Bennett has a current license DF250398470, which will close when this one is issued. Ms. Bennett has no concurrent licenses.

**Exiting information (including second floor and basement):**

The home has several exits. The front door in the living room exits to the front yard. The sliding glass door in the dining room exits to the fenced in back yard. The side of the home has an exit to the garage which exits to both front and back yard. There is no basement.

**Outdoor play area description:**

The home has a fully fenced in back yard. There is plenty of area for children to play, and some small play equipment. There are no water hazards. Direct supervision will be provided at all times.

**Additional information:**

- Pets? No  Yes  If yes, describe. Rabbit, in the living room.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns:


**Explanation of variances, if any:** None

**B. Rule/Statutory Violations**

There are no rule or statutory violations.

**IV. RECOMMENDATION**

I recommend issuance of an original license to this child care family home (capacity 1-6).



09/21/2022

---

Kelly Millar, LMSW  
Licensing Consultant

Date

Approved By:



09/21/2022

---

Crecendra Boone  
Area Manager

Date