



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 18, 2022

Shannon Todd
3142 Boston Blvd
Lansing, MI 48910

RE: License #: DF330377642
Shannon Todd
3142 Boston Blvd
Lansing, MI 48910

Dear Ms. Todd:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 07/14/2022, I found one violation(s) listed below and explained in the attached report:

R400.1933(4) Water supply; sewage disposal; water temperature.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Jessica Rindfleisch". The signature is written in a cursive style with a large initial "J".

Jessica Rindfleisch, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 899-5744

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF330377642
Licensee Name:	Shannon Todd
Licensee Address:	3142 Boston Blvd Lansing, MI 48910
Licensee Telephone #:	(517) 303-8954
Licensee:	N/A
Name of Facility:	Shannon Todd
Facility Address:	3142 Boston Blvd Lansing, MI 48910
Facility Telephone #:	(517) 303-8954
Original Issuance Date:	07/01/2015
Capacity:	6
Age Range:	Ages Birth through 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

06/30/2022, 07/14/2022

		No. of Records Reviewed
No. of children enrolled in care	12	3
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	0	
No. of other children present at time of inspection	4	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: Ms. Todd lives in a tri-level home with a basement. The main level, lower level, and basement are approved for use. The kitchen and living room on the main level, the bathroom on the lower level, and the main room in the basement are approved for child care.

Exiting information (including second floor and basement): There is a front and rear door on the main level that can be used for emergency escape. In addition to the stairs leading to the main level of the home, there is a labeled egress window that can be used for emergency escape in the basement. There are stairs to the main level and a window in a bedroom that can be used for emergency escape on the lower level; however, the children are only on this level for use of the restroom.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Ms. Todd has two dogs. They do not interact with the children in care.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.

- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1933 Water supply; sewage disposal; water temperature.


(4) Hot water temperature must not exceed 120 degrees Fahrenheit at water faucets accessible to children.

During the on-site inspection, the hot water tested at 135 degrees Fahrenheit at a water faucet accessible to children.

A corrective action plan was requested and approved on 07/18/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



Jessica Rindfleisch
Licensing Consultant

07/18/2022

Date