



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

March 16, 2022

Twyla Fleming
422 Dunlap St
Lansing, MI 48910

RE: License #: DF330402794
Wee Village Day Care
422 Dunlap St
Lansing, MI 48910

Dear Ms. Fleming:

This letter is to advise you that the 03/15/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1905(9)	You had not completed the 2021 health and safety refresher training.	You indicated that the health and safety refresher trainings would be completed within 6 months of release.	03/22/2022
R 400.1907(1)(b)	The one unrelated child in care did not have a child in care statement on file.	You indicated that the missing child in care statement had been completed.	03/16/2022
R 400.1907(1)(c)	The one unrelated child in care did not have documentation of immunizations as obtainable on the child in care statement.	You indicated that the missing child in care statement had been completed.	03/16/2022

R 400.1916(6)(a)	The pack-n-plays being used did not comply with 16 CFR 1221 (2019).	You indicated that the pack-N-plays would comply with the requirements.	03/16/2022
R 400.1919(3)	You had an adult move into the home. The new household member did not provide evidence of freedom of communicable tuberculosis.	You indicated that all household members over 14 years of age would have evidence of freedom from communicable tuberculosis.	04/01/2022
R 400.1925(1)(b)	The adult that recently moved into the home had not completed a comprehensive background check.	You indicated that all adult household members would be fingerprinted prior to moving in.	04/01/2022
R 400.1933(4)	The hot water tested at 130 degrees Fahrenheit at a faucet accessible to children.	You indicated that the hot water would be under 120 degrees Fahrenheit.	03/16/2022
R 400.1945(4)	No fire drills had been completed since the last renewal inspection.	You indicated that fire drills would be completed quarterly.	03/22/2022
R 40.1945(5)	No tornado drills had been completed since the last renewal inspection.	You indicated that two tornado drills would be completed	03/22/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in cursive script that reads "Jessica Rindfleisch".

Jessica Rindfleisch, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 899-5744