



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 12, 2022

Nicole Hopkins
40 Wyandotte Ct
Saranac, MI 48881

RE: License #: DF340382866
Village Day Care
40 Wyandotte Ct
Saranac, MI 48881

Dear Ms. Hopkins:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 4/11/2022, I found 3 violations. The violations are listed below and explained in the attached report:

R 400.1905(9) Training.
R 400.1934(4) Heating; ventilation; lighting; radon.
R 400.1952(1)(b) Child transportation; parent permission; child information card; required when off-premises.


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read 'S. Shankin', with a horizontal line underneath.

Sean Shankin, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF340382866
Licensee Name:	Nicole Hopkins
Licensee Address:	40 Wyandotte Ct Saranac, MI 48881
Licensee Telephone #:	(616) 446-3157
Licensee:	N/A
Name of Facility:	Village Day Care
Facility Address:	40 Wyandotte Ct Saranac, MI 48881
Facility Telephone #:	(616) 446-3157
Original Issuance Date:	04/13/2017
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

04/11/2022

		No. of Records Reviewed
No. of children enrolled in care	8	8
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: On the main floor of the home the dining room, kitchen, living room, and three bedrooms used for napping, are approved for child use space. On the lower level of the home the family room is approved for child use space. There is one bathroom on the main level of the home for the child care children.

Exiting information (including second floor and basement): There are 3 door exits from the main level of the home. From the lower level of the home there is 1 door exit, and 1 remote exit which includes stairs leading directly to the main floor of the home.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There are 2 dogs in the home; 1 bearded dragon; 1 frog; and 1 hamster in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
There is a creek located on the neighbor's property, adjacent to the family's home.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a fireplace in the family room on the lower level of the home.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:


R 400.1905	Training
	(9) When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.
The licensee did not complete the 2021 Health and Safety Refresher training.	
R 400.1934	Heating; ventilation; lighting; radon.
	(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.
A radon test was not performed at renewal. Radon tests must be completed every 4 years at renewal.	
R 400.1952	Child transportation; parent permission; child information card; required when off-premises.
	(1) A licensee shall obtain and keep on file written permission from a child's parent before a child is transported in a vehicle. Written permission must be obtained for both of the following: (b) Nonroutine transportation, before each trip.

The licensee was not obtaining written permission before each trip for non-routine field trips.

A corrective action plan was requested and approved on 04/11/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



4/12/2022

Sean Shankin
Licensing Consultant

Date