



STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

GRETCHEN WHITMER  
GOVERNOR

ORLENE HAWKS  
DIRECTOR

July 24, 2023

Amanda Wilder  
9640 Sayles Road  
Saranac, MI 48891

RE: License #: DF340405718  
**Down to Earth Daycare**  
**9640 Sayles Road**  
**Saranac, MI 48891**

Dear Ms. Wilder:

This letter is to advise you that the 07/20/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1905(9) Training.	The licensee did not have verification that they completed the 2022 Health and Safety Refresher training published to the MiRegistry.	Licensee will complete all refresher trainings within 6 months' notice of publication.	7/24/2023
R 400.1906(1)(c)(i) Records of a licensee; child care staff member; child care assistant.	The licensee did not obtain a signed statement from their physician attesting to their physical and mental health for the renewal period.	Licensee will have a signed medical clearance completed and submitted to the department.	9/22/2023
R 400.1919(3) Communicable disease;	A minor-aged household member, age 14, did not have written evidence of	Licensee shall assure all minor-aged household members 14	9/22/2023

immunization; mental and physical health; physician attestation; tuberculosis.	freedom of communicable tuberculosis on file.	years and older will have a TB test on file.	
R 400.1945(1)(d) Emergency; plan; drill.	The licensee does not have a water hazard emergency plan established for the retention pond located behind the outdoor play area.	Licensee shall create a water hazard emergency plan.	9/22/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,



Sean Shankin, Licensing Consultant  
Bureau of Community and Health Systems  
Unit 13, 7th Floor  
350 Ottawa, N.W.  
Grand Rapids, MI 49503