



STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

GRETCHEN WHITMER  
GOVERNOR

ORLENE HAWKS  
DIRECTOR

October 20, 2022

Cheryl Wescher  
144 So. Brule Road  
Iron River, MI 49935

RE: License #: DF360034708  
**Cheryl Wescher**  
**144 So Brule Road**  
**Iron River, MI 49935**

Dear Ms. Wescher:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 10/19/2022, I did not find any rule or law violations. You will receive your regular license in the mail.

<b>During calendar year 2021:</b>	<b>Total</b>
Number of serious injuries that occurred in facility.	<b>0</b>
Number of deaths that occurred in the facility.	<b>0</b>
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	<b>0</b>

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517.284.9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Wendy J. Highland". The signature is written in a cursive style with a large initial 'W'.

*Wendy Highland, M.Ed*  
Child Care Licensing Consultant, CCLB/LARA  
611 W. Ottawa St. PO Box 30664  
Lansing, MI 48904  
517.284.9730

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

<b>License #:</b>	DF360034708
<b>Licensee Name:</b>	Cheryl Wescher
<b>Licensee Address:</b>	144 So. Brule Road Iron River, MI 49935
<b>Licensee Telephone #:</b>	(906) 265-6338
<b>Licensee:</b>	N/A
<b>Name of Facility:</b>	Cheryl Wescher
<b>Facility Address:</b>	144 So Brule Road Iron River, MI 49935
<b>Facility Telephone #:</b>	(906) 265-6338
<b>Original Issuance Date:</b>	11/18/1993
<b>Capacity:</b>	6
<b>Age Range:</b>	Ages 1 year 6 months Thru 17 years

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 10/20/2022

		No. of Records Reviewed
No. of children enrolled in care	7	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee <input checked="" type="checkbox"/>	
	Assistant Caregivers <input type="checkbox"/>	

Approved child use space: The main floor of the house is approved for child use space.

Exiting information (including second floor and basement): The second floor exit is the stairway.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No.

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.


The facility is in compliance with all applicable rules and statutes.

Observations

The children were engaged in developmentally appropriate free play at the time of the inspection.

**IV. RECOMMENDATION**

I recommend issuance of a regular license to this child care family home (capacity 1-6).



10/24/2022

---

Wendy Highland  
Licensing Consultant

Date