



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

November 13, 2020

Tammy Griswold
1975 Wood Lane Tr.
Jackson, MI 49201

RE: License #: DF380253829
Tammy S Griswold
1975 Wood Lane Trail
Jackson, MI 49201

Dear Ms. Griswold:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on November 12, 2020, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2019:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Michelle Gleed". The signature is written in a cursive style with a horizontal line underneath.

Michelle Gleed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 599-7404

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF380253829
Licensee Name:	Tammy Griswold
Licensee Address:	1975 Wood Lane Tr. Jackson, MI 49201
Licensee Telephone #:	(517) 414-2495
Licensee:	N/A
Name of Facility:	Tammy S Griswold
Facility Address:	1975 Wood Lane Trail Jackson, MI 49201
Facility Telephone #:	(517) 750-4699
Original Issuance Date:	12/10/2002
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 11/12/2020

		No. of Records Reviewed
No. of children enrolled in care	5	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	2	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The main floor living room, kitchen, and two bedrooms are approved for child care use. In the basement there are two rooms which are approved for child care use, the recreation room and the playroom.

The outdoor play area is located in the southeast portion of the back yard. The outdoor play area boundaries are the treeline on the east side of the property, the property line on the south side of the property, the rear corner of the home on the west side of the property, and the deck/pole barn on the north side of the property. There is an open space between the deck and the pole barn and orange cones will be used to note that barrier for the child care children. There is a drain ditch on the northside of the home which runs east to west which collects water at times throughout the year. This drain ditch is on the opposite side of the home as the outdoor play area.

Exiting information (including second floor and basement): On the main level the exits include the front door which exits to grade and the door which leads to the garage and then outside. In the basement there is a designated exit window in the playroom and stairs which lead to the main level.

Approved variances - No Yes Description: There are no approved variances.
Key Indicator Inspection: This was not a key indicator inspection.

Additional information:

- Pets? No Yes If yes, describe.
The family has two dogs, a 3 year old Boxer and a 4 year old Pug. Ms. Griswold states both dogs are current on their vaccinations.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
There is a hot tub on the deck located off the back of the home. The hot tub has two clips on each side of the lid which secure the lid of the hot tub to the body of the hot tub preventing it from being opened when the clips are in place. The clips are always in place during child care hours. The deck is surrounded by the back

side of the home and is fenced on the remaining sides. The fence is 4 feet in height. The fenced area has two sets of stairs which lead to ground level, and each set of stairs has a gate at the top which is locked at all times during child care hours. There is a sliding door that leads from the back of the home to the deck where the hot tub is located. Ms. Griswold has a locking device which includes a metal bar which she keeps in place on the sliding glass door at all times during child care hours. There is also an alarm on the top of the sliding glass door.

- Swimming pool? No Yes If yes, describe pool and barriers.
There is a swimming pool on the deck located off the back of the home. The deck is surrounded by the back side of the home and is fenced on the remaining sides. The fence is 4 feet in height. The fenced area has two sets of stairs which lead to ground level, and each set of stairs has a gate at the top which is locked at all times during child care hours. There is a sliding door that leads from the back of the home to the deck where the swimming pool is located. Ms. Griswold has a locking device which includes a metal bar which she keeps in place on the sliding glass door at all times during child care hours. There is also an alarm on the top of the sliding glass door.
- Other water hazards? No Yes If yes, describe.
There is a drain ditch on the northside of the home which runs east to west which collects water at times throughout the year. This drain ditch is on the opposite side of the home as the outdoor play area. The outdoor play area is located in the southeast portion of the back yard. The outdoor play area boundaries are the treeline on the east side of the property, the property line on the south side of the property, the rear corner of the home on the west side of the property, and the deck/pole barn on the north side of the property. There is an open space between the deck and the pole barn and orange cones will be used to note that barrier for the child care children.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a gas fireplace in the living room which is not used during child care hours.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.


III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of applicable key indicator child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of some of the home's records, including staff and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



November 13, 2020

Michelle Gleed
Licensing Consultant

Date