



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

December 29, 2020

Beverly Carcamo
 118 E. Robinson
 Jackson, MI 49203

RE: License #: DF380259359
Beverly Carcamo
118 E. Robinson
Jackson, MI 49203

Dear Ms. Carcamo:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 12/29/2020, I found one violation. The violation is listed below and explained in the attached report:

R 400.1934 Heating; ventilation; lighting; radon.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2019:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at [Click or tap here to add phone number..](#)

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink that reads "Stacy Wables". The signature is written in a cursive, slightly slanted style.

Stacy Wables, Licensing Consultant
Bureau of Community and Health Systems
301 E. Louis Glick Hwy
Jackson, MI 49201
(517) 899-5790

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF380259359
Licensee Name:	Beverly Carcamo
Licensee Address:	118 E. Robinson Jackson, MI 49203
Licensee Telephone #:	
Licensee:	N/A
Name of Facility:	Beverly Carcamo
Facility Address:	118 E. Robinson Jackson, MI 49203
Facility Telephone #:	(517) 990-0477
Original Issuance Date:	10/10/2003
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 12/29/2020

		No. of Records Reviewed
No. of children enrolled in care	6	6
No. of assistant caregivers employed	1	1
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	1	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input checked="" type="checkbox"/>	

Approved child use space: The main level living room, dining room and kitchen are approved for child care use.

Exiting information (including second floor and basement): There are two remote doors for exiting.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1934

Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

Ms. Carcamo did not complete a radon test in the past 4 years.

A corrective action plan was requested and approved on 12/29/2020. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend the issuance of a regular license to this child care facility.

Stacy Wables

12/29/2020

Stacy Wables
Licensing Consultant

Date