



STATE OF MICHIGAN
 DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
 LANSING

GRETCHEN WHITMER
 GOVERNOR

ORLENE HAWKS
 DIRECTOR

February 2, 2023

Mary Bunch
 805 Seymour
 Jackson, MI 49202

RE: License #: DF380337664
Mary Bunch
805 Seymour
Jackson, MI 49202

Dear Ms. Bunch:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 1/31/23, I found two violation(s) listed below and explained in the attached report:

- R400.1932(2): Home maintenance and safety.
- R400. 1931(3): Home maintenance and safety.

You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-262-9717.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Jenny Camburn Brundage".

Jenny L. Camburn Brundage, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 262-9717

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF380337664
Licensee Name:	Mary Bunch
Licensee Address:	805 Seymour Jackson, MI 49202
Licensee Telephone #:	(517) 768-1322
Licensee:	N/A
Name of Facility:	Mary Bunch
Facility Address:	805 Seymour Jackson, MI 49202
Facility Telephone #:	(517) 499-3344
Original Issuance Date:	01/31/2013
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 01/30/2023

		No. of Records Reviewed
No. of children enrolled in care	3	3
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	1	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The living room, dining room, and kitchen are located on the main level and approved for child care use. One bedroom upstairs is approved. Exiting information (including second floor and basement): The main level uses two remote doors for exits.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
The family has two dogs and four cats.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1932 Home maintenance and safety.

(2) All dangerous and hazardous materials or items must be stored securely and out of the reach of children.

The kitchen contained drawers with knives and a slicer accessible to the children.

R 400.1932 Home maintenance and safety.

(3) All steps, stairs, porches, and elevated structures to which children in care have access must be protected to prevent falls, and must be free of ice and snow accumulation.

The stairs to the lower level were not protected to prevent falls.

A corrective action plan was requested and approved on 01/30/2023. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend renewal of the childcare license.

Jenny Camburn Brundage

2/2/23

Jenny L. Camburn Brundage
Licensing Consultant

Date