



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

Marlon I. Brown, DPA
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 11/29/2023
Date of Report: 11/29/2023

Licensee Name(s)	License Number	Capacity
Mary Harr	DF380404294	7
Facility Name	Program Type	
Mary Harr	Family Home	
Facility Address	Mailing Address	
1209 Park Road, Jackson, MI, 49203	1209 Park Road, Jackson, MI, 49203	
Facility Phone Number	Facility Email Address	
517-414-9539	maryharr2020@gmail.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

As a result of the inspection, there were no rule violations.


During the onsite inspection I observed free choice time. Interactions between Ms. Harr and the children were positive and developmentally appropriate. Ms. Harr uses a combination of Teaching Strategies Gold, Montessori, and ASQ individual learning plans for the children in care.

If you have any questions regarding the report, please contact licensing consultant, Karen Woodman, at 517-285-9301. In the event that Karen Woodman is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
203	0	1
<i>Number of Children's Records Reviewed: Number of Children Enrolled</i>	<i>Number of Staff Employed: Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers: Number of Volunteer Files Reviewed</i>
7	1	0
<i>Number of Children Observed: Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed: Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
4	1	0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		There are two dogs, two cats, one bunny, and one hedgehog.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
No hazards	The outdoor play area is located at the back of the home and is completely enclosed by a three-foot rock wall.	

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>
R 400.1932(1)	The structure, premises, and furnishings of a child care home must be in good repair and maintained in a clean, safe, and comfortable condition.
R 400.1944(1)	Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

Bureau Recommendation
I recommend no change in the status of the license.

Approved By:			
			
11/29/2023			
Karen Woodman	Date		
Licensing Consultant			