



STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

GRETCHEN WHITMER
GOVERNOR

ORLENE HAWKS
DIRECTOR

February 19, 2021

Jill Mason
7577 South Jackson Rd
Jackson, MI 49201

RE: License #: DF380404648
Love 2 Learn Childcare
7577 South Jackson Rd
Jackson, MI 49201

Dear Ms. Mason:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).


As a result of the renewal inspection on 02/17/2021, I did not find any rule or law violations. You will receive your regular license in the mail.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Michelle Gleed". The signature is written in a cursive style with a horizontal line underneath.

Michelle Gleed, Licensing Consultant
Bureau of Community and Health Systems
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(517) 599-7404

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF380404648
Licensee Name:	Jill Mason
Licensee Address:	7577 South Jackson Rd Jackson, MI 49201
Licensee Telephone #:	(517) 605-2087
Licensee:	N/A
Name of Facility:	Love 2 Learn Childcare
Facility Address:	7577 South Jackson Rd Jackson, MI 49201
Facility Telephone #:	(517) 605-2087
Original Issuance Date:	09/01/2020
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

		No. of Records Reviewed
No. of children enrolled in care	13	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	<input checked="" type="checkbox"/>
	Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The basement is approved for child care use including the living room, play room, quiet/napping room, and a kitchen area.

The main level and upper level of the home are not approved for child care use.

Exiting information (including second floor and basement): The main level of the home has a front and rear door. The basement of the home has stairs which lead to the main level of the home and a walkout basement door which leads directly to grade.

Approved variances - No Yes Description:

Key Indicator Inspection: This was not a key indicator inspection.

Additional information:

- Pets? No Yes If yes, describe.
The family has a black lab/blue heeler mix which is kept separate from the child care children. There are chickens on the property that are kept in a pasture and coop near the barn. There is a family cat which will be allowed around the child care children. There is a rabbit, and a few hamsters in the outbuilding which the child care children may occasionally interact with in the outdoor play area.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a wood burning fireplace on the main level of the home in the living room. This fireplace will not be used during child care hours.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes.

Technical assistance was provided to Ms. Mason regarding the following:

Rule 400.1906(1)(a) and (b): Child's record. The child information card was reviewed with Ms. Mason and the areas required to be completed were covered as well as the instructions at the top of the child information card.

Rule 400.1934(7): Heating; ventilation; lighting; radon. Ms. Mason was provided technical assistance in that all child use areas including areas used for napping and resting must have adequate natural or artificial lighting.

P.A. 116 as it applies to the requirement of the licensing notebook was reviewed with Ms. Mason. The licensing notebook summary sheet was also reviewed with Ms. Mason with examples of how each document would be logged and kept available to parents and potential parents.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



February 19, 2021

Michelle Gleed
Licensing Consultant

Date