



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 28, 2022

Sylinda Bruce
11546 Ambling Ave
Galesburg, MI 49053

RE: License #: DF390393270
Rise And Shine Child Care
11546 Ambling Ave
Galesburg, MI 49053

Dear Ms. Bruce:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 9/21/2022, I found *4 violations*. The violations are listed below and explained in the attached report:

- | | |
|------------------|---------------------------------|
| R 400.1907(2) | Child's records. |
| R 400.1910(2) | Ratio of personnel to children. |
| R 400.1923(2)(a) | Diapering and toilet learning. |
| R 400.1932(2) | Home maintenance and safety. |

Due to the violations, you must send us a corrective action plan by 10/18/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.

- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.


Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Julia Majka, Licensing Consultant
 Child Care Licensing Bureau
 611 West Ottawa St.
 P.O. Box 30664
 Lansing, MI 48909
 (269) 615-6039

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF390393270
Licensee Name:	Sylinda Bruce
Licensee Address:	11546 Ambling Ave Galesburg, MI 49053
Licensee Telephone #:	(586) 601-6425
Licensee:	N/A
Name of Facility:	Rise And Shine Child Care
Facility Address:	11546 Ambling Ave Galesburg, MI 49053
Facility Telephone #:	(586) 601-6425
Original Issuance Date:	10/01/2018
Capacity:	7
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/21/2022

	No. of Records Reviewed
No. of children enrolled in care	7
No. of assistant caregivers employed	0
No. of child care children present at time of inspection	7
No. of other children present at time of inspection	0
No. of assistant caregivers present at time of inspection	0
Licensee present at time of inspection?	Yes
Persons Interviewed:	
Licensee	<input checked="" type="checkbox"/>
Assistant Caregivers	<input type="checkbox"/>

Approved child use space: On the main floor the living room, dining room, and kitchen are approved. In the basement the entire finished area is approved.

Exiting information (including second floor and basement): On the main floor there are 3 door exits. In the basement there is a door exit and the stairs leading to the main floor.

Approved variances - No Yes Description: Ms. Bruce has a variance to rule R 400.1910(1). She is allowed a 1 to 7 ratio.

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
Ms. Bruce has 2 dogs.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct

observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1907 Child's records.

(2) Records in subrule (1) of this rule must be reviewed and updated annually or when information changes.

Five out of seven child information cards and child in care statements have not been reviewed or updated annually.

R 400.1910 Ratio of personnel to children.

(2) For each member of the personnel, not more than 4 children shall be under the age of 30 months, with not more than 2 of the 4 children under the age of 18 months.

During my onsite inspection and in reviewing attendance records Ms. Bruce has been out of ratio by having 5 children under 30 months and 3 children under 18 months in care while being the only staff member.

**REPEAT VIOLATION ESTABLISHED
LSR Dated 9/28/2020
Corrective Action Plan Dated 10/16/2020**

R 400.1923 Diapering and toilet learning.

(2) The designated changing area must comply with all of the following:

(a) Be used exclusively for changing wet or soiled diapers or underwear.

Diapers are being changed on the floor in the child use area. They should be changed in a space exclusively used for diapering.

R 400.1932 Home maintenance and safety.

(2) All dangerous and hazardous materials or items must be stored securely and out of the reach of children.

Ms. Bruce had two melted wax air freshers within reach of children posing a burn hazard.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend a regular license be issued.

Julia Majka

9/28/2022

Julia Majka
Licensing Consultant

Date