



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

May 18, 2022

Yvonne Hardiman
443 Gilbert S.E.
Grand Rapids, MI 49507

RE: License #: DF410256998
Yvonne Hardiman
443 Gilbert Street, SE
Grand Rapids, MI 49507-1841

Dear Ms. Hardiman:

This letter is to advise you that the 05/18/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved. Your license will be renewed.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1903(1)(g) Licensee Responsibilities.	Ms. Hardiman did not report within 3 business days that adult household member, DeShawn Hardiman had moved in.	Ms. Hardiman will report when adults move in and out of the home. She will ensure that comprehensive background checks are completed.	05/05/2022
R 400.1905(4)(e) Training.	Ms. Hardiman has not completed training on precautions in transporting children.	Ms. Hardiman will complete the required training.	05/25/2022
R 400.1905(4)(f) Training.	Ms. Hardiman has not completed training on building and physical premises safety.	Ms. Hardiman will complete the required training.	05/25/2022
R 400.1905(7) Training.	Ms. Hardiman did not have current CPR and first aid training	Ms. Hardiman is completing American Heart Association CPR and first	05/21/2022

	on file. She stated that she has registered for a course.	aid training at Vibrant Futures	
R 400.1922(4) Nighttime care.	Ms. Hardiman has been providing nighttime care and children have been sleeping on the couch and nap mat. This is not considered appropriate sleeping equipment for nighttime care	Ms. Hardiman purchased air mattresses to use for over night care.	04/29/2022
R 400.1932(3) Home maintenance and safety.	During my on-site inspection the stairs leading from the upper level of the room did not have a gate to protect against falls.	Ms. Hardiman will ensure the gate is installed at the top of the stairs when children are in care.	05/18/2022

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,



Jessica Miranda-Bevier, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 498-5459