



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

April 12, 2023

Yvonne Hardiman
443 Gilbert S.E.
Grand Rapids, MI 49507

RE: License #: DF410256998
Yvonne Hardiman
443 Gilbert Street, SE
Grand Rapids, MI 49507-1841

Dear Ms. Hardiman:

This letter is to advise you that the 04/12/2023 corrective action plan you submitted, regarding each rule violation cited in the recently completed Interim Inspection Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
MCL 722.115n Application for or ... family child care home; household member...check; requirements; duties of department.	During my on-site inspection AHM 1 was present in the child care home while children were in care. AHM 1 has previously been determined ineligible by the bureau.	Ms. Hardiman will ensure AHM is not present in the child care home while children are in care until he has been fingerprinted and the bureau has made an eligibility determination.	Immediately
R 400.1905(4)(e) Training.	Ms. Hardiman has not completed training on precautions in transporting children. This training is included in Course 2 of the Health and	Ms. Hardiman will complete the required training. She will notify the bureau when the training has been completed.	04/22/2023

	Safety Trainings that is found on MiRegistry.		
R 400.1905(4)(f) Training.	Ms. Hardiman has not completed training on building and physical premises safety. This training is included in Course 2 of the Health and Safety Trainings that is found on MiRegistry.	Ms. Hardiman will complete the required training. She will notify the bureau when the training has been completed.	04/22/2023
R 400.1925(4)(a)	During my on-site inspection AHM 1 was present in the child care home while children were in care. AHM 1 has previously been determined ineligible by the bureau.	Ms. Hardiman will prohibit AHM 1 from being on the premises of the child care home while children are in care.	Immediately
R 400.1932(3) Home maintenance and safety.	During my on-site inspection the stairs leading from the upper level of the room did not have a gate to protect against falls.	Ms. Hardiman will install a gate on the stairs leading from the upper level.	04/17/2023

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services.

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (517) 284-9730.

Sincerely,

A handwritten signature in black ink, appearing to read 'JMB', with a stylized flourish extending to the right.

Jessica Miranda-Bevier, Licensing Consultant
Child Care Licensing Bureau
611 W. Ottawa Street
P.O. Box 30664
Lansing, MI 48909
(616) 498-5459