



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 15, 2021

Yolanda Brown
1050 Benjamin SE
Grand Rapids, MI 49506

RE: License #: DF410266759
Yolanda Brown
1050 Benjamin Avenue, SE
Grand Rapids, MI 49506-3223

Dear Ms. Brown:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 09/15/2021, I found 1 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

R 400.1934(4) Heating; ventilation; lighting; radon.

Due to the violations, you must send us a corrective action plan by 10/04/2021. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.

- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.


Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2020:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 616-356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Kathleen Hop, Licensing Consultant
 Bureau of Community and Health Systems
 Unit 13, 7th Floor
 350 Ottawa, N.W.
 Grand Rapids, MI 49503
 (616) 250-3403

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410266759
Licensee Name:	Yolanda Brown
Licensee Address:	1050 Benjamin SE Grand Rapids, MI 49506
Licensee Telephone #:	(616) 241-3784
Licensee:	N/A
Name of Facility:	Yolanda Brown
Facility Address:	1050 Benjamin Avenue, SE Grand Rapids, MI 49506-3223
Facility Telephone #:	(616) 241-3784
Original Issuance Date:	08/12/2004
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 09/15/2021

		No. of Records Reviewed
No. of children enrolled in care	7	7
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The living room, dining room, playroom and kitchen on the main floor are approved for child care use.

Exiting information (including second floor and basement): There are three remotely located exit doors on the main floor.

Approved variances - No Yes Description:

Key Indicator Inspection: No.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is a fireplace in the living room.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records.

Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:


R 400.1934 Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

A radon test was not completed at the time of license renewal.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a regular license to this child care family home (capacity 1-6).



09/15/2021

Kathleen Hop
Licensing Consultant

Date