



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

June 13, 2023

Michele Reminga
1986 Sandrel Dr. NE
Grand Rapids, MI 49505

RE: License #: **DF410278241**
Michele Reminga
1986 Sandrel Drive, NE
Grand Rapids, MI 49505

Dear Ms. Reminga:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 6/6/2023, I found 6 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

R400.1931 Food preparation and services.

R400.1935(1) Firearms.

R400.1935(2) Firearms.

R400.1941(5) Heat – producing equipment.

R400.1942 Electrical service; maintenance.

R400.1944 Smoke detectors; fire extinguishers.

Due to the violations, you must send us a corrective action plan by 7/3/2023. You can use our corrective action plan form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stacia L. Thrower, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 916-5504

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410278241
Licensee Name:	Michele Reminga
Licensee Address:	1986 Sandrel Dr. NE Grand Rapids, MI 49505
Licensee Telephone #:	(616) 365-1068
Licensee:	N/A
Name of Facility:	Michele Reminga
Facility Address:	1986 Sandrel Drive, NE Grand Rapids, MI 49505
Facility Telephone #:	(616) 365-1068
Original Issuance Date:	10/26/2005
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 06/06/2023

	No. of Records Reviewed	
No. of children enrolled in care	5	5
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: The main level of the home excluding the kitchen. The side yard and driveway are designated for outdoor play.

Exiting information (including second floor and basement): The front door and a sliding door leading to the back yard provide adequate exits from the main level.

Approved variances - No Yes Description: Ratio/Capacity

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
There are 3 pet dogs in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
There is an above - ground hard sided swimming pool located in the back yard.
The swimming pool measures 48 inches on all sides.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
There is an inoperable fireplace located in the home.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1931 Food preparation and service.

(8) Bottles used for feeding must be labeled with the child's first and last name and date, refrigerated, and served only to the child on the label.

An infant bottle was fed to an infant during the onsite inspection. The bottle was not labeled with the child's first and last name and date.

R 400.1935 Firearms.

(1) All firearms must be unloaded and properly stored in a secure, safe, locked environment inaccessible to children during hours of operation or while children are in care at a child care home. A secure and locked environment means a locked commercial gun safe, or a trigger lock installed and locked according to the manufacturer's recommendations to prevent discharge.

A firearm was not locked during the onsite.

R 400.1935 Firearms.

(2) Ammunition must be stored in a separate locked location inaccessible to children during hours of operation or while children are in care at a child care home.

Ammunition was not locked during the onsite inspection.

R 400.1941 Heat-producing equipment.

(5) The inspection specified in subrule (4) of this rule must be conducted before the initial license is issued and every 4 years thereafter at the time of license renewal.

R 400.1942 Electrical service; maintenance.

(2) All electrical outlets, including outlets on multiple outlet devices, accessible to children must have safety covers or be tamper resistant outlets.

Electrical outlets lacked safety covers in the living room.

R 400.1944 Smoke detectors; fire extinguishers.

(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

There is no smoke detector in the designated sleeping space (bedroom).

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a regular license to this child care home.



6/13/2023

Stacia L. Thrower
Licensing Consultant

Date