



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

MARLON I. BROWN, DPA
ACTING DIRECTOR

August 22, 2023

Elaine Bradley
2457 Marilyn St SW
Wyoming, MI 49519

RE: License #: **DF410306246**
Elaine Bradley
2457 Marilyn St Sw
Wyoming, MI 49519

Dear Mrs. Bradley:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 8/8/2023, I found 1 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

R400.1905 Training.

Due to the violations, you must send us a corrective action plan by 9/11/2023. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

Upon receipt of an acceptable corrective action plan, a regular license will be issued. You will receive it in the mail.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available, and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stacia L. Thrower, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 916-5504

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

LicenseLicense #:	DF410306246
Licensee Name:	Elaine Bradley
Licensee Address:	2457 Marilyn St SW Wyoming, MI 49519
Licensee Telephone #:	(616) 538-8109
Licensee:	N/A
Name of Facility:	Elaine Bradley
Facility Address:	2457 Marilyn St SW Wyoming, MI 49519
Facility Telephone #:	(616) 538-8109
Original Issuance Date:	04/29/2010
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

08/08/2023

	No. of Records Reviewed	
No. of children enrolled in care	6	6
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	4	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	☒	
Assistant Caregivers	☐	

Approved child use space: Main, lower, and upper levels (bedrooms)

Exiting information (including second floor and basement): Front and rear doors provide appropriate exits from the main level. A rear sliding door and the stairs leading to the main level provide adequate exits from the lower level. A designated window exit and the stairs leading to the main level provide exits from the upper level.

Approved variances - ☒ No ☐ Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No ☒ Yes ☐ If yes, describe.
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☒ Yes ☐ If yes, describe.
- Fireplace or wood burning stove? No ☐ Yes ☒ If yes, describe.
There is a wood burning stove in the home.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905

Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

Mrs. Bradley did not complete 10 clock hours of training.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a regular license to this child care facility.



8/22/2023

Stacia L. Thrower
Licensing Consultant

Date