



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 9, 2023

Driesenga, Eileen
16980 Algoma Ave.
Cedar Springs, MI 49319

RE: License #: DF410378944
Eileen Driesenga
16980 Algoma Ave.
Cedar Springs, MI 49319

Dear Ms. Driesenga:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 2/8/2023, I found 7 violation(s) listed below and explained in the attached report:

- | | |
|-------------------|---|
| R 400.1905 | Training. |
| R 400.1907 | Child's records. |
| R 400.1919 | Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis. |
| R 400.1934 | Heating; ventilation; lighting; radon. |
| R 400.1945 | Emergency; plan; drill. |

Due to the violations, you must send us a corrective action plan by 2/24/2023. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.
- The signature of the responsible party and a date.

During calendar year 2022:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at Enter Phone Number Here.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Stephanie Shell, Licensing Consultant
Bureau of Community and Health Systems
611 Ottawa Ave
Lansing, MI 49806
enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410378944
Licensee Name:	Driesenga, Eileen and Driesenga, Genevieve
Licensee Address:	16980 Algoma Ave. Cedar Springs, MI 49319
Licensee Telephone #:	(616) 799-2680
Licensee:	N/A
Name of Facility:	Eileen Driesenga
Facility Address:	16980 Algoma Ave. Cedar Springs, MI 49319
Facility Telephone #:	(616) 799-2680
Original Issuance Date:	11/03/2015
Capacity:	6
Age Range:	Ages Birth Thru 17 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 02/08/2023

	No. of Records Reviewed	
No. of children enrolled in care	11	11
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	5	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	<input checked="" type="checkbox"/>	
Assistant Caregivers	<input type="checkbox"/>	

Approved child use space: On the main level, the kitchen, eating area, living room, and bedroom are approved for care. On the upper level, two bedrooms are approved for care.

Exiting information (including second floor and basement): On the main level the front door and side door are used for exiting. On the upper level, the stairs leading to the main level and a window used for emergency exiting.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
One dog and one cat
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

Language for Full Inspection

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

Technical assistance was provided regarding safe sleep practices.

R 400.1905 Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

10 clock hours of training was not completed in 2022.

R 400.1905 Training.

**(4) Within 90 days after receiving a child care license or of being hired at a child care home, a licensee, a child care staff member, and a child care assistant shall complete training on all of the following topics:
 (a) Child development.**

Health and safety training was not completed.

R 400.1907 Child's records.

(2) Records in subrule (1) of this rule must be reviewed and updated annually or when information changes.

Child in care statement and child information cards were not reviewed and updated annually.

R 400.1919 Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis.

(1) An applicant shall obtain a written statement, signed by a licensed physician or his or her designee within 1 year before issuance of the initial license, that attests to the applicant's

mental and physical health. The attestation must be renewed at the time of subsequent license renewals.

Medical clearance was not completed for this renewal.

R 400.1934 Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

A radon test was not completed at the time of renewal.

R 400.1945 Emergency; plan; drill.

(4) Fire drills must be practiced while children are in care at least once quarterly, and a written record that includes the date and time it takes to evacuate must be maintained.

A written record of fire drills were not completed in 2021 or 2022.

R 400.1945 Emergency; plan; drill.

(5) At least 2 tornado drills must be practiced while children are in care between March and November, and a written record of these drills that includes the date must be maintained.

A written record of tornado drills were not completed in 2021 or 2022.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).

Stephanie Shell

2/9/23

Stephanie Shell
Licensing Consultant

Date

