



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 14, 2022

Stephanie Dewey
5769 Simon Ct.
Wyoming, MI 49418

RE: License #: DF410387493
Stephanie J. Dewey
5769 Simon Ct.
Wyoming, MI 49418

Dear Mrs. Dewey:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 11/9/2022, I found 2 violation(s) listed below and explained in the attached report:

1905(1) Training.
1934(4) Heating; ventilation; lighting; radon


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 571-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Mary Dufon". The signature is fluid and cursive, with a long horizontal stroke at the end.

Mary Dufon, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 295-6530

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410387493
Licensee Name:	Stephanie Dewey
Licensee Address:	5769 Simon Ct. Wyoming, MI 49418
Licensee Telephone #:	(616) 261-8765
Licensee:	N/A
Name of Facility:	Stephanie J. Dewey
Facility Address:	5769 Simon Ct. Wyoming, MI 49418
Facility Telephone #:	(616) 260-0608
Original Issuance Date:	11/16/2017
Capacity:	7
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

11/09/2022

		No. of Records Reviewed
No. of children enrolled in care	10	8
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	6	
No. of other children present at time of inspection	0	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:	Licensee	☒
	Assistant Caregivers	☐

Approved child use space: The entire main and upper levels are approved as child use space. On the lower level of the home the family room and playroom are approved as child use space.

Exiting information (including second floor and basement): On the main level of the home the front and back doors provide exits. On the upper level of the home the stairs leading to the main level of the home and a remotely located exit window provide exits. On the lower level of the home the walk out door and stairs leading to the main level provide exits.

Approved variances - ☐ No ☒ Yes Description: Ratio/capacity variance

Key Indicator Inspection: No.

Additional information:

- Pets? No ☐ Yes ☒ If yes, describe.
5 dogs
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☐ Yes ☒ If yes, describe.
There is a small lake that backs up directly to the back yard of the child care home and there is no barrier. The approved outdoor play area is the front yard only. The child care home provides a barrier to the lake located in the back yard. The provider agreed to provide direct supervision when child care children are playing outdoors.
- Fireplace or wood burning stove? No ☐ Yes ☒ If yes, describe.
There is a gas fireplace in the living room on the main level and on the lower level of the home.

- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During my on-site inspection I observed breakfast service, rest time, free play, and positive and nurturing interactions between the provider and child care children. Technical assistance and consultation was provided regarding the new water heater installation, and records for members of the household.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905

Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

The provider has only 5 hours of training on file for the year 2021.

REPEAT VIOLATION ESTABLISHED

LICENSING STUDY REPORT DATED 11/17/2020

CAP DATED 11/30/2020

R 400.1934

Heating; ventilation; lighting; radon.

(4) A licensee shall test the child care home for the concentration of radon gas before the initial license is issued and every 4 years thereafter at the time of license renewal.

The radon test for the 2022 renewal was not completed.

A corrective action plan was requested and approved on 11/09/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care home.



11/14/2022

Mary Dufon
Licensing Consultant

Date