



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

September 28, 2022

Tara Oliver
3100 Beckie Dr. SW
Wyoming, MI 49418

RE: License #: DF410402554
Tara Oliver
3100 Beckie Dr SW
Wyoming, MI 49418

Dear Mrs. Oliver:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 9/12/2022, I found 6 violation(s) listed below and explained in the attached report:

1905(1) Training.
1907(1)(A)(B) Child's records.
1919(1) Communicable disease; immunization; mental and physical health;
1931(13) Food preparation and service.
1934(3) Heating; ventilation; lighting.
1944(1) Smoke detectors; fire extinguishers


You gave us an acceptable written corrective action plan. We will send you a regular license in the mail.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Mary Dufon". The signature is fluid and cursive, with the first name "Mary" and last name "Dufon" clearly distinguishable.

Mary Dufon, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 295-6530

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410402554
Licensee Name:	Tara Oliver
Licensee Address:	3100 Beckie Dr. SW Wyoming, MI 49418
Licensee Telephone #:	(616) 635-9998
Licensee:	N/A
Name of Facility:	Tara Oliver
Facility Address:	3100 Beckie Dr SW Wyoming, MI 49418
Facility Telephone #:	(616) 635-9998
Original Issuance Date:	02/05/2020
Capacity:	7
Age Range:	Ages Birth Thru 7 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s):

09/12/2022

	No. of Records Reviewed	
No. of children enrolled in care	4	4
No. of assistant caregivers employed	0	0
No. of child care children present at time of inspection	3	
No. of other children present at time of inspection	1	
No. of assistant caregivers present at time of inspection	0	
Licensee present at time of inspection?	Yes	
Persons Interviewed:		
Licensee	☒	
Assistant Caregivers	☐	

Approved child use space: In the basement the playroom is approved as child use space. On the main level of the home the kitchen/living room/dining room is approved as child use space.

Exiting information (including second floor and basement): In the basement the slider door leading to the back yard and the stairs leading to the main level of the home provide exits.

Approved variances - ☐ No ☒ Yes Description: Ratio/capacity variance

Key Indicator Inspection: No.

Additional information:

- Pets? No ☐ Yes ☒ If yes, describe.
One large dog.
- Hot tubs or spa pool? No ☒ Yes ☐ If yes, are there appropriate barriers?
- Swimming pool? No ☒ Yes ☐ If yes, describe pool and barriers.
- Other water hazards? No ☐ Yes ☒ If yes, describe.
A pond is located behind the property, however there is a four foot fence surrounding the backyard outdoor play area.
- Fireplace or wood burning stove? No ☐ Yes ☒ If yes, describe.
A gas fireplace in the living room.
- Fireplace/wood burner in use during child care hours? No ☒ Yes ☐ If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During my on-site inspection I observed rest time and television usage. Technical assistance and consultation was provided regarding the last furnace and water heater inspection that was completed in 2019. The provider was advised to complete this during the renewal year 2022 in order to be in line with it being completed at renewal per rule requirements. Technical assistance was also provided regarding making sure the outdoor play area is clear of dog feces prior to children using the play space.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1905

Training.

(1) A licensee shall complete not less than 10 clock hours of training each calendar year related to child development, program planning, and administrative management for a child care business, not including CPR, first aid, and infectious disease, including immunizations, training.

The provider only had 3 documented hours of training on file for the year 2021.

R 400.1907

Child's records.

(1) Prior to a child's initial attendance, a licensee shall obtain the following documents:

(a) A completed child information card on a form provided by the department or a comparable substitute approved by the department.

(b) A child in care statement or receipt using a form provided by the department and signed by the parent certifying all of the following:

(i) Receipt of a written disciplinary policy.

(ii) Condition of the child's health.

- (iii) Acknowledgement that the parent has been offered either a copy of the licensing rules for a child care home or has been given the website for an electronic copy of these rules.
- (iv) Agreement as to who will provide food for the child.
- (v) Acknowledgement that firearms are on the premises, if applicable.
- (vi) If the child care home was built prior to 1978, then the licensee shall inform the parents of each child in care and all personnel of the potential presence of lead-based paint or lead dust hazards, unless the licensee maintains documentation from a lead testing professional that the home is lead safe.

Out of 4 child information cards reviewed, all 4 were missing the allergy section and were therefore incomplete. 2 of the 4 child in care statements on file were missing the provider section.

R 400.1919 Communicable disease; immunization; mental and physical health; physician attestation; tuberculosis.

- (1) An applicant shall obtain a written statement, signed by a licensed physician or his or her designee within 1 year before issuance of the initial license, that attests to the applicant's mental and physical health. The attestation must be renewed at the time of subsequent license renewals.

The provider did not complete a medical clearance for this renewal.

R 400.1931 Food preparation and service.

- (13) Children shall not have beverage or food containers when they are in bed or when they are walking around or playing.

During my on-site inspection a child had a bottle in bed with him during rest time.

R 400.1934 Heating; ventilation; lighting.

- (3) A carbon monoxide detector, bearing a safety certification mark of a recognized testing laboratory, such as UL (Underwriters Laboratories) or ETL (Electrotechnical Laboratory), must be placed on all levels approved for child care.

The carbon monoxide detector on the main level of the home was not in operation.

REPEAT VIOLATION ESTABLISHED

LSR DATED 9/16/2021

CAP DATED 9/9/2021

R 400.1944 Smoke detectors; fire extinguishers.

(1) Operable smoke detectors approved by a nationally recognized testing laboratory must be installed and maintained on each floor of the home, including the basement, and in all sleeping areas and bedrooms used by children in care.

There was not an operable smoke detector on the upper level of the home.

REPEAT VIOLATION ESTABLISHED

LSR DATED 9/16/2021

CAP DATED 9/9/2021

A corrective action plan was requested and approved on 09/12/2022. It is expected that the corrective action plan be implemented within the specified time frames as outlined in the approved plan. A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

IV. RECOMMENDATION

I recommend issuance of a regular license to this child care home.



9/28/2022

Mary Dufon
Licensing Consultant

Date