



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

February 3, 2021

Kaley Rogers
262 Nelson St
Sparta, MI 49345

RE: Application #: DF410405225
Kaley Rogers
262 Nelson St
Sparta, MI 49345

Dear Mrs. Rogers:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in black ink, appearing to read "Sante Struppa".

Samantha Struppa, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 690-2934

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
BUREAU OF COMMUNITY AND HEALTH SYSTEMS
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

| | |
|------------------------------|---------------------------------------|
| License #: | DF410405225 |
| Licensee Name: | Kaley Rogers |
| Licensee Address: | 262 Nelson St Sparta, MI 49345 |
| Licensee Telephone #: | (360) 929-8369 |
| Licensee: | N/A |
| Name of Facility: | Kaley Rogers |
| Facility Address: | 262 Nelson St Sparta, MI 49345 |
| Facility Telephone #: | (360) 929-8369 |
| Application Date: | 08/01/2020 |
| Capacity: | 6 |
| Program Type: | CHILD CARE FAMILY HOME (CAPACITY 1-6) |

II. METHODOLOGY

| | |
|------------|---|
| 08/01/2020 | On-Line Enrollment |
| 08/05/2020 | Contact - Document Received CC 001 |
| 08/24/2020 | Contact - Document Received Safe Sleep Training |
| 08/28/2020 | Inspection Completed-Heating Approved |
| 08/28/2020 | Inspection Completed-Water Heater |
| 08/31/2020 | Contact - Document Received |
| 09/21/2020 | Contact - Document Received |
| 09/21/2020 | Application Incomplete Letter Sent |
| 09/30/2020 | Contact - Document Received Radon Test Results from basement 2.3 pCi/L |
| 10/08/2020 | Contact - Document Received |
| 10/08/2020 | Application Complete/Orientation Needed |
| 11/05/2020 | Orientation Attended GR - Virtual |
| 02/02/2021 | Inspection Completed On-Site Full Compliance |

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

This child care home is located in a quiet residential neighborhood on the NW quadrant of Sparta. This home is located between 12 Mile NW and Sparta Ave NW. This is a wood framed home with a main level and basement.

Rooms and levels approved for child care use:

The living room, kitchen, dining room and play room are approved for child care use. There is a bathroom located near the playroom that child care children can use.

Areas not approved:

The three bedrooms on the main level are not approved for child care use. The basement is not approved for child care use.

Ages of children served:

This child care home will serve children from birth to 7 years old.

Equipment:

There is an adequate amount of equipment and materials for child care children to use.

Proposed days and hours of operation:

This child care home will operate Monday through Friday from 7:00AM until 5:30PM.

Previous or concurrent licenses, including children's foster care:

Ms. Rogers has not been previously licensed to provide child care or children's foster care.

Exiting information (including second floor and basement):

The main level home has two remotely located exits; the front door and rear slider leading into the backyard.

Outdoor play area description:

The outdoor play area will be the backyard which is fully fenced with a backyard deck. This home is also within walking distance to Lamoreaux Memorial Park. Mrs. Rogers will supervise child care children while outside at all times.

Additional information:

- Pets? No Yes If yes, describe. There are two cats in the home.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:


Explanation of variances, if any: There are no variances granted for the facility.

B. Rule/Statutory Violations:

There were no rule or statutory violations at the time of the inspection.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).



02/02/2021

Samantha Struppa
Licensing Consultant

Date

Approved By:



02/03/2021

Katrice Sweet
Area Manager

Date