



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

DR BEVERLY WALKER
GRIFFEA
ACTING DIRECTOR

Report Type: Interim
Inspection Type: Interim

Date of Inspection: 7/18/2024
Date of Report: 7/26/2024

Licensee Name(s)	License Number	Capacity
Meredith Ann Burl	DF410405952	7
Facility Name	Program Type	
Little Darlings Daycare	Family Home	
Facility Address	Mailing Address	
4239 Wilfred Ave. SW Grandville, MI 49418	4239 Wilfred Ave. SW Grandville, MI 49418	
Facility Phone Number	Facility Email Address	
6163504123	meredithburl@gmail.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

During the Interim inspection, licensing consultant Stacie Fifelski found 1 violation. The violations are listed and explained below. An acceptable written corrective action plan was received on 7/25/2024.

If you have any questions regarding the report, please contact licensing consultant, Stacie Fifelski, at 517-643-6828. In the event that Stacie Fifelski is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
186	1	0

<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
6 : 6	1 : 1	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
6 : 6	1 : 1	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		There is one cat and one dog in the home.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There were no water or other hazards observed during this inspection.	The outdoor play areas are in the front yard and back yard of the home. The play area in the back yard of the home is fully fenced in.	


Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1941(2)	Heat-producing equipment. Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat-producing equipment, or fuel-fired water heaters.	There is a shelf built into the structure of the home within 4 feet of the furnace and water heater. There were paint cans, wooden blinds, and plastic buckets stored on the shelf within 4 feet of the furnace and water heater. The shelf is approved, however the items on it within 4 feet of the furnace and water heater must be removed and this area kept clear.	Violation Established

Technical Assistance	
Rule Number	Rule

Bureau Recommendation

You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

Approved By:			
			
Stacie Fifelski Licensing Consultant	07/26/2024 Date		