



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

July 22, 2021

Jember Seebeck
2432 Woodcliff Ave SE
Grand Rapids, MI 49546

RE: Application #: DF410407063
Happy Dance Daycare
2432 Woodcliff Ave. SE
Grand Rapids, MI 49546

Dear Ms. Seebeck:

Attached is the Original Licensing Study Report for the above referenced facility. The study has determined substantial compliance with applicable licensing statutes and rules. Therefore, an original license with a capacity of 6 is issued.

Please review the attached documentation for accuracy and contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at (616) 356-0183.

Per MCL 722.113g, this report must be filed in your Licensing Notebook.

Sincerely,

A handwritten signature in cursive script that reads "Kathleen Hop".

Kathleen Hop, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
LICENSING STUDY REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410407063
Licensee Name:	Jember Seebeck
Licensee Address:	2432 Woodcliff Ave SE Grand Rapids, MI 49546
Licensee Telephone #:	(616) 690-9645
Licensee:	N/A
Name of Facility:	Happy Dance Daycare
Facility Address:	2432 Woodcliff Ave. SE Grand Rapids, MI 49546
Facility Telephone #:	(616) 690-9645
Application Date:	01/21/2021
Capacity:	6
Program Type:	CHILD CARE FAMILY HOME (CAPACITY 1-6)

II. METHODOLOGY

01/21/2021	On-Line Enrollment
03/02/2021	Contact - Document Received Proof of Prevention of Shaken Baby & Abusive Head Trauma
03/19/2021	Contact - Document Received
03/25/2021	Contact - Document Received CPR/First Aid Verification
03/29/2021	Inspection Completed-Heating Approved
03/29/2021	Inspection Completed-Water Heater
04/08/2021	Contact - Document Received
04/09/2021	Application Complete/Orientation Needed
04/12/2021	Contact - Document Sent Rule & ACT Books
04/15/2021	Contact - Document Received Radon Test Results from basement 1.7 pCi/L
05/05/2021	Orientation Attended Kalamazoo - Virtual
07/21/2021	Inspection Completed – Onsite
07/21/2021	Inspection Completed – BCAL Full Compliance

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

A. Description of Facility

The child care home is a split-level duplex located on the southeast side of Grand Rapids.

Rooms and levels approved for child care use:

The living room and two bedrooms are approved for child care use on the upper level.

Areas not approved:

The lower level and the kitchen/dining area on the main floor are not approved for child care use.

Ages of children served:

Ms. Seebeck will accept children ages 18 months to 7 years old for care.

Equipment:

Ms. Seebeck has an adequate supply of developmentally appropriate equipment and supplies. She has cots for the children to nap on.

Proposed days and hours of operation:

The child care will operate from 7:00 AM to 5:30 PM, Monday through Friday.

Previous or concurrent licenses, including children's foster care:

Ms. Seebeck has not previously been licensed for child care or foster care.

Exiting information (including second floor and basement):

The main floor has stairs that lead directly to exit doors located in the front of the home. There is a sliding door located in the back of the home that exits onto a deck with stairs that lead to the ground. The basement has stairs leading to the front exit door and a door that leads to the garage.

Outdoor play area description:

Ms. Seebeck will use the front yard for the children's outdoor play area.

Additional information:

- Pets? No Yes If yes, describe.
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns:

Explanation of variances, if any: There are no variances granted for this facility.

B. Rule/Statutory Violations

There were no rule violations.

IV. RECOMMENDATION

I recommend issuance of an original license to this child care family home (capacity 1-6).

Kathleen Hop

07/21/2021

Kathleen Hop
Licensing Consultant

Date

Approved By:

Katrice Sweet

07/22/2021

Katrice Sweet
Area Manager

Date