



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

December 21, 2022

Chivonne Townsend
2123 Shangrai La Dr SE
Grand Rapids, MI 49508

RE: License #: DF410408456

RE: SI LOG #: **Chivonne Townsend**
2123 Shangrai La Dr SE
Grand Rapids, MI 49508

Dear Ms. Townsend:

This letter is to advise you that the 11/22/2022 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R 400.1916 (1) Bedding and sleeping equipment	Play-yard padding was not properly secured to the bottom of play-yard. The sleeping equipment was not being used in a way that would allow an infant to sleep in a safe and comfortable manner.	Play-yard padding will be properly secured to bottom of play-yard. The sleeping equipment will be used in a way that allows an infant to sleep in a safe and comfortable manner. Safe sleep course will be retaken	Immediately
R 400.1921(4)(c) Water hazards; water activities	There was a wading pool/water toy located in the backyard that was not in use that had standing water.	Water toys will be emptied after each use.	Immediately


R 400.1923 (1) Diapering and toilet learning	Infants were being changed on providers lap while sitting on the couch instead of the designated diaper changing area.	Infants /Toddlers will be changed on single waterproof changing pad as well as designated diaper changing table.	Immediately
R 400.1931 (13) Food preparation and service	Child Care children are eating meals and/or snacks while sitting in play equipment.	Child Care children will eat meals and/ or snacks sitting in high chair or in designated eating area.	Immediately
R 400.1932 (1) Home maintain and safety	The upper level of the home was not being maintained in a clean and safe condition as there was vomit from the provider's cat located in several areas of the upper level.	The upper level of the home will be maintained in a clean and safe condition.	Immediately
R 400.1932 (2) Home maintenance and safety	There were dangerous and hazardous cleaning products located in the bathroom accessible to child care children.	All dangerous and hazardous materials or items will be stored securely and out of the reach of children.	Immediately

It is expected that the corrective action plan will be implemented within the time frames as outlined in your plan.

A follow-up evaluation may be made to verify compliance. Should the corrections not be implemented in the specified time, it may be necessary to reevaluate the status of your license.

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (616) 356-0183.

Sincerely,



Lalemma Hudnell, Licensing Consultant
Bureau of Community and Health Systems
Unit 13, 7th Floor
350 Ottawa, N.W.
Grand Rapids, MI 49503
(616) 438-5537