



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
LANSING

ORLENE HAWKS
DIRECTOR

November 3, 2022

Chivonne Townsend
2123 Shangrai La Dr SE
Grand Rapids, MI 49508

RE: License #: DF410408456
Chivonne Townsend
2123 Shangrai La Dr SE
Grand Rapids, MI 49508

Dear Ms. Townsend:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

During the renewal inspection on 07/12/2022, I found 6 violation(s) listed below and explained in the attached report: listed below and explained in the attached report:

- R 400.1916 (1) Bedding and sleeping equipment.
- R 400.1921 (4) Water hazards; water activities.
- R 400.1923 (1) Diapering and toilet learning.
- R 400.1931 (13) Food preparation and service.
- R 400.1932 (1) Home maintenance and safety.
- R 400.1932 (2) Home maintenance and safety.

Due to the violations, you must send us a corrective action plan by 11/23/2022. You can use our [corrective action plan](#) form or create your own.

If you need help writing the corrective action plan, please contact me. If you do not send a corrective action plan, you may face disciplinary action. The corrective action plan must include the following:

- How compliance with each rule will be achieved.
- Who is directly responsible for implementing the corrective action for each violation.
- Specific time frames for each violation as to when the correction will be completed or implemented.
- How continuing compliance will be maintained once compliance is achieved.

- The signature of the responsible party and a date.


Due to the infant safe sleep violation(s), all of your infant caregivers must take training on infant safe sleep. This must be included in your corrective action plan. In addition, a follow up inspection may be made to check compliance with the infant safe sleep rules.

During calendar year 2021:	Total
Number of serious injuries that occurred in facility.	0
Number of deaths that occurred in the facility.	0
Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility.	0

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.

Sincerely,



Lalemma Hudnell, Licensing Consultant
 Bureau of Community and Health Systems
 Unit 13, 7th Floor
 350 Ottawa, N.W.
 Grand Rapids, MI 49503
 (616) 438-5537

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS
CHILD CARE LICENSING BUREAU
RENEWAL INSPECTION REPORT**

I. IDENTIFYING INFORMATION

License #:	DF410408456
Licensee Name:	Chivonne Townsend
Licensee Address:	2123 Shangrai La Dr SE Grand Rapids, MI 49508
Licensee Telephone #:	(616) 422-5270
Licensee:	N/A
Name of Facility:	Chivonne Townsend
Facility Address:	2123 Shangrai La Dr SE Grand Rapids, MI 49508
Facility Telephone #:	(616) 422-5270
Original Issuance Date:	10/11/2021
Capacity:	6
Age Range:	Ages Birth Thru 12 years

II. METHODS OF INSPECTION

Date of On-site Inspection(s): 07/12/2022

	No. of Records Reviewed
No. of children enrolled in care	7
No. of assistant caregivers employed	0
No. of child care children present at time of inspection	4
No. of other children present at time of inspection	0
No. of assistant caregivers present at time of inspection	0
Licensee present at time of inspection?	Yes
Persons Interviewed: Licensee	<input checked="" type="checkbox"/>
Assistant Caregivers	<input type="checkbox"/>

Approved child use space: The main level living room and kitchen are approved child use space and on the lower level the large open space and the bedroom are both approved child use space.

Exiting information (including second floor and basement): On the main level of the home the front door and the balcony both serve as exits. On the lower level of the home the the front door and the glass sider door leading out to the back yard both serve as exits for the lower level.

Approved variances - No Yes Description:

Key Indicator Inspection: No

Additional information:

- Pets? No Yes If yes, describe.
1 dog and 1 cat
- Hot tubs or spa pool? No Yes If yes, are there appropriate barriers?
- Swimming pool? No Yes If yes, describe pool and barriers.
- Other water hazards? No Yes If yes, describe.
- Fireplace or wood burning stove? No Yes If yes, describe.
- Fireplace/wood burner in use during child care hours? No Yes If yes, describe barriers to protect children from burns.

III. DESCRIPTION OF FINDINGS & CONCLUSIONS

This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff, and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

During the inspection, the child care home was found to be in compliance with all applicable rules and statutes except for the following violations:

R 400.1916 Bedding and sleeping equipment.

(1) All bedding and sleeping equipment must be in accordance with U.S. Consumer Product Safety Commission standards as approved for the age of the child using the equipment and must be clean, comfortable, safe, and in good repair. The standards are available at <http://www.cpsc.gov>.

Play-yard padding was not properly secured to the bottom of play-yard. The sleeping equipment was not being used in a way that would allow an infant to sleep in a safe and comfortable manner.

R 400.1921 Water hazards; water activities.

**(4) A wading pool may be used when all of the following requirements are met:
(c) It remains empty at all times when not in use.**

There was a wading pool/water toy located in the backyard that was not in use that had standing water.

R 400.1923 Diapering and toilet learning.

(1) Diapering of infants and toddlers shall only occur in a designated changing area.

Infants were being changed on providers lap while sitting on the coach instead of the designated diaper changing area.

R 400.1931 Food preparation and service.

(13) Children shall not have beverage or food containers when

they are in bed or when they are walking around or playing.

Child Care children are eating meals and/or snacks while sitting in play equipment.

R 400.1932 Home maintenance and safety.

(1) The structure, premises, and furnishings of a child care home must be in good repair and maintained in a clean, safe, and comfortable condition.

The upper level of the home was not being maintained in a clean and safe condition as there was vomit from the provider's cat located in several areas of the upper level.


R 400.1932 Home maintenance and safety.

(2) All dangerous and hazardous materials or items must be stored securely and out of the reach of children.

There were dangerous and hazardous cleaning products located in the bathroom accessible to child care children.

IV. RECOMMENDATION

Upon receipt of an acceptable corrective action plan, I recommend issuance of a original license to this child care family home (capacity 1-6).



11/03/2022

Lalemma Hudnell
Licensing Consultant

Date