



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

ORLENE HAWKS  
DIRECTOR

June 28, 2023

Jeanine Muheto  
1507 Blossom SE  
Kentwood, MI 49508

RE: License #: DF410410449  
**Muheto, Jeanine**  
**1507 Blossom St. SE**  
**Grand Rapids, MI 49508**

Dear Mrs. Muheto:

Attached is your renewal inspection report. You can find a copy of this renewal inspection report and any associated corrective action plans on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when renewal inspection reports are completed can be found under [Overview of Licensing Reports](#).

As a result of the renewal inspection on 05/19/2023, I did not find any rule or law violations. You will receive your regular license in the mail.

| <b>During calendar year 2022:</b>   | <b>Total</b> |
|---|--------------|
| Number of serious injuries that occurred in facility.   | <b>0</b>     |
| Number of deaths that occurred in the facility.   | <b>0</b>     |
| Number of substantiated cases of abuse and/or neglect of a child that occurred at the facility. | <b>0</b>     |

Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, please contact the local office at 517-284-9730.

**Per MCL 722.113g, this report and any related corrective action plans must be filed in your Licensing Notebook.**

Sincerely,

Lalemma Hudnell, Licensing Consultant

Bureau of Community and Health Systems  
Unit 13, 7th Floor  
350 Ottawa, N.W.  
Grand Rapids, MI 49503  
(616) 438-5537

enclosure

**MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
CHILD CARE LICENSING BUREAU  
RENEWAL INSPECTION REPORT**

**I. IDENTIFYING INFORMATION**

|                                |   |
|--------------------------------|---|
| <b>License #:</b>              | DF410410449                                   |
| <b>Licensee Name:</b>          | Jeanine Muheto                                |
| <b>Licensee Address:</b>       | 1507 Blossom SE<br>Kentwood, MI 49508         |
| <b>Licensee Telephone #:</b>   | (616) 272-2088                                |
| <b>Licensee:</b>               | N/A   |
| <b>Name of Facility:</b>       | Muheto, Jeanine                               |
| <b>Facility Address:</b>       | 1507 Blossom St. SE<br>Grand Rapids, MI 49508 |
| <b>Facility Telephone #:</b>   | (616) 272-2088                                |
| <b>Original Issuance Date:</b> | 05/20/2022                                    |
| <b>Capacity:</b>               | 6   |
| <b>Age Range:</b>              | Ages Birth Thru 11 years                      |

## II. METHODS OF INSPECTION

Date of On-site Inspection(s): 05/19/2023

|   |                                     | No. of Records Reviewed |
|---|-------------------------------------|-------------------------|
| No. of children enrolled in care                          | 9                                   | 5                       |
| No. of assistant caregivers employed                      | 1                                   | 1                       |
| No. of child care children present at time of inspection  | 0                                   |                         |
| No. of other children present at time of inspection       | 0                                   |                         |
| No. of assistant caregivers present at time of inspection | Yes                                 |                         |
| Licensee present at time of inspection?                   | Yes                                 |                         |
| Persons Interviewed:                                      |                                     |                         |
| Licensee  | <input checked="" type="checkbox"/> |                         |
| Assistant Caregivers                                      | <input type="checkbox"/>            |                         |

Approved child use space: The Basement level is approved child use space.

Exiting information (including second floor and basement): Basement Level: The glass slider located in the large open area leading to the backyard and the stairs leading up to the main level front door both serve as exits for the basement level.

Approved variances -  No  Yes Description:

Key Indicator Inspection: No

### Additional information:

- Pets? No  Yes  If yes, describe.
- Hot tubs or spa pool? No  Yes  If yes, are there appropriate barriers?
- Swimming pool? No  Yes  If yes, describe pool and barriers.
- Other water hazards? No  Yes  If yes, describe.
- Fireplace or wood burning stove? No  Yes  If yes, describe.
- Fireplace/wood burner in use during child care hours? No  Yes  If yes, describe barriers to protect children from burns.

## III. DESCRIPTION OF FINDINGS & CONCLUSIONS


This renewal inspection involved a review of all applicable child care home administrative rules and statutes. Verification of compliance included direct observations of the physical environment and the program, discussions with staff,

and a review of the home's records, including staff records and children's records. Staff records include background checks, medical clearance information, and training information. Children's records include child information cards and child in care statements/receipts.

The facility is in compliance with all applicable rules and statutes

#### IV. RECOMMENDATION

I recommend issuance of a regular license to this child care family home (capacity 1-6).



06/28/2023

---

Lalemma Hudnell  
Licensing Consultant

Date