



GRETCHEN WHITMER  
GOVERNOR

STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

Marlon I. Brown, DPA  
ACTING DIRECTOR

**Report Type** : Interim  
**Inspection Type:** Interim

**Date of Inspection:** 11/17/2023  
**Date of Report:** 11/20/2023

Licensee Name(s)	License Number	Capacity
Shameka Florine Tims-Mosley	DF410411656	6
Facility Name	Program Type	
Tims-Mosley, Shameka	Family Home	
Facility Address	Mailing Address	
2023 Kalamazoo Ave SE, Grand Rapids, MI, 49507	2023 Kalamazoo Ave SE, Grand Rapids, MI, 49507	
Facility Phone Number	Facility Email Address	
(616)724-5611	s.mosley11@yahoo.com	

### Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home.

During my on-site inspection the home was clean and organized. Ms. Tims-Mosley has completed all required trainings. All home and child records were organized, complete, and made readily available.

If you have any questions regarding the report, please contact licensing consultant, Jessica Miranda-Bevier, at 616-498-5459. In the event that Jessica Miranda-Bevier is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
185	0	2
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
5: 10	0: 0	0: 0


<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
4: 4	0: 0	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		NA
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There are no water hazards on or near the property.	The outdoor play area is located in the backyard of the home. The backyard is partially fenced in. There is no equipment installed in the backyard at this time. Ms. Tims-Mosley will use portable equipment. Partially fenced in area	

<b>Documentation of Required Inspections</b>		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
--------------------	-------------	-----------------	-------------------

<b>Technical Assistance</b>	
<i>Rule Number</i>	<i>Rule</i>
R 400.1932(2)	All dangerous and hazardous materials or items must be stored securely and out of the reach of children.
R 400.1942(2)	All electrical outlets, including outlets on multiple outlet devices, accessible to children must have safety covers or be tamper resistant outlets

<b>Bureau Recommendation</b>
I recommend no change in the status of the license.

<b>Approved By:</b>			
			
		11/20/2023	
Jessica Miranda-Bevier Licensing Consultant	Date		