



GRETCHEN WHITMER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF
LIFELONG EDUCATION, ADVANCEMENT, AND POTENTIAL
LANSING

Michelle Richard
ACTING DIRECTOR

Report Type : Interim
Inspection Type: Interim

Date of Inspection: 6/17/2024
Date of Report: 6/17/2024

Licensee Name(s)	License Number	Capacity
Amber C Perroud	DF410412794	6
Facility Name	Program Type	
Cheeks Childcare	Family Home	
Facility Address	Mailing Address	
2500 Almont Avenue SE, Grand Rapids, MI, 49507	2500 Almont Ave SE, Grand Rapids, MI, 49507	
Facility Phone Number	Facility Email Address	
616-333-9403	the.amber.c.p@gmail.com	

Findings of the Inspection

A copy of this Interim inspection report and any associated corrective action plans is available on the Child Care Licensing Bureau [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of when interim inspection reports are completed can be found under [Overview of Licensing Reports](#).

The purpose of the Interim inspection was to determine compliance with applicable licensing statutes and administrative rules for child care Family Home. During the on-site inspection there were no children in care. The home and child records were organized and made readily available.

During the Interim inspection, licensing consultant Jessica Miranda-Bevier found 1 violation. The violation is listed and explained below. An acceptable written corrective action plan was received on 6/17/2024.

Due to the health and safety professional development training violation(s), all of the facility's child care staff members must complete the required training by 7/1/2024. This must be included in the facility's corrective action plan.

If you have any questions regarding the report, please contact licensing consultant, Jessica Miranda-Bevier, at 616-498-5459. In the event that Jessica Miranda-Bevier is not available, and you need to speak to someone immediately, please contact the Child Care Licensing Bureau at 517-284-9730.

Inspection Details		
<i>Number of Rules/Statutes Reviewed</i>	<i>Number of Rules/Statute Violations</i>	<i>Number of Rules/Statutes where Technical Assistance was Provided</i>
197	1	6
<i>Number of Children's Records Reviewed : Number of Children Enrolled</i>	<i>Number of Staff Employed : Number of Staff Files Reviewed</i>	<i>Number of Home Volunteers : Number of Volunteer Files Reviewed</i>
5 : 3	0 : 0	0 : 0
<i>Number of Children Observed : Number of Children Present During Inspection</i>	<i>Number of Child Care Staff Members Observed : Number of Child Care Staff Members Present During Inspection</i>	<i>Number of Volunteers Observed a: Number of Volunteers Present During Inspection</i>
0 : 0	0 : 0	0 : 0
<i>Licensee Interviewed</i>	<i>Child Care Staff Members Interviewed</i>	<i>Pets</i>
Yes		There is one dog in the child care home. All pet supplies and equipment are inaccessible to children.
<i>Water or Other Hazards</i>	<i>Outdoor Space</i>	
There are no known water hazards on or near the property.	The outdoor play area is located in the back yard of the home. The back yard is fully fenced in.	


Documentation of Required Inspections		
<i>Type of Inspection</i>	<i>Date of Inspection</i>	<i>Findings</i>
No inspections needed at this time.		

<i>Rule Number</i>	<i>Rule</i>	<i>Analysis</i>	<i>Conclusion</i>
R 400.1905(9)	Training. When the department of licensing and regulatory affairs or the department of education publishes a notice that a new health and safety update document or a new health and safety update training activity has been published on MiRegistry, the licensee shall ensure that all personnel read and acknowledge the document or complete the activity within 6 months of the notice.	Amber Perroud did not complete the Health and Safety training for 2023.	Violation Established

Technical Assistance	
<i>Rule Number</i>	<i>Rule</i>
R 400.1945(4)	Fire drills must be practiced while children are in care at least once quarterly, and a written record that includes the date and time it takes to evacuate must be maintained.

R 400.1945(5)	At least 2 tornado drills must be practiced while children are in care between March and November, and a written record of these drills that includes the date must be maintained.
R 400.1942(2)	All electrical outlets, including outlets on multiple outlet devices, accessible to children must have safety covers or be tamper resistant outlets.
R 400.1941(2)	Combustible materials and equipment must not be stored within 4 feet of furnaces, other flame or heat producing equipment, or fuel-fired water heaters.
R 400.1907(1)(a)	A completed child information card on a form provided by the department or a comparable substitute approved by the department.
R 400.1923(2)(d)	Have a nonabsorbent, easily sanitized surface with a changing pad between the child and the surface.

Bureau Recommendation
You have submitted an acceptable corrective action plan. I recommend no change in the status of the license.

Approved By:			
			
		6/17/2024	
Jessica Miranda-Bevier Licensing Consultant		Date	