



STATE OF MICHIGAN  
DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS  
LANSING

GRETCHEN WHITMER  
GOVERNOR

ORLENE HAWKS  
DIRECTOR

June 9, 2021

Stacey Wright  
2750 Carson Hwy  
Adrian, MI 49221

RE: License #: DF460095978

RE: SI LOG #: **Stacey Wright  
2750 Carson Hwy  
Adrian, MI 49221**

Dear Ms. Wright:

This letter is to advise you that the 06/09/2021 corrective action plan you submitted, regarding each rule violation cited in the recently completed Renewal Licensing Study Report, is approved.

You can find a copy of this corrective action approval letter and the associated report on our [website](#) under [Statewide Search for Licensed Child Care Centers and Homes](#). A description of each type of report and corrective action plans can be found under [Overview of Licensing Reports](#).

Violation cited	Noncompliance observed	Plan to correct	Date to be completed
R400.1906(1)c(i) Records of a licensee; child care staff member; child care assistant.	At the time of renewal, Ms. Wright did not have a statement signed by a licensed physician or his or her designee that attests to her mental and physical health. Ms. Wright has an appointment scheduled for 9/2/21.	I, Ms. Stacey Wright, licensee was found in noncompliance of this licensing rule. Due to the pandemic, my doctors office is still backlogged therefore I was unable to make my annual physical evaluation appointment until 9/2/21. Upon completion, I will forward the department a copy of my physical examination attesting to my mental and physical abilities. Moving forward I will complete my physical examination by the time	6/9/2021

		of renewal (every two years.). This violation is being corrected and will be maintained.	
R400.1934(4) Heating, ventilation; lighting, radon.	Ms. Wright did not have an updated radon test completed (every four years at the time of renewal) showing the concentration of radon gas does not exceed 4.0 picocuries per liter of air. Ms. Wright last radon test was completed on 6/1/2010. Ms. Wright currently has a radon mitigation system installed in her home and attempted a new radon test on 5/21/21 with an invalid test result due to the transporting of the test kit taking to long. Ms. Wright is currently completing another radon test and will forward the results to the department upon completion.	I, Ms. Stacey Wright, licensee was found in noncompliance of this licensing rule. Due to the pandemic, my radon test I completed on 5/21/21 received an invalid test result based on the test taking too long to arrive to the testing lavatory. I am currently retesting and have a radon mitigation already installed in my child care home. Upon completion of my radon test, I will forward a copy of the test results to the department. Moving forward I will complete my radon test by the time of renewal (every four years.). This violation is being corrected and will be maintained.	6/9/2021

The office provides technical assistance to meet the licensing requirements and consultation to improve services. Please contact me with any questions. In the event that I am not available and you need to speak to someone immediately, you may contact the local office at (517) 284-9720.

Sincerely,



Timothy A Swope, Licensing Consultant  
Bureau of Community and Health Systems  
301 E. Louis Glick Hwy

Jackson, MI 49201  
(517) 262-9838